

# Bảng giá thiết bị điện Schneider 04/2013

Công tắc, ổ cắm

Ổ cắm công nghiệp



Sử dụng năng lượng hiệu quả

## 30 Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:



M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND



### Plate

Description	Reference	Unit Price
1 gang plate	31AVH_G19	22,000
2 gang plate	32AVH_G19	22,000
3 gang plate	33AVH_G19	22,000
4 gang plate	34AVH_G19	38,000
5 gang plate	35AVH_G19	38,000
6 gang plate	36AVH_G19	38,000
Blank plate	31AVX_G19	32,000
Plate for safety breaker	31AVMCB_G19	30,000
Plate for 1P MCB	31AVMCB1_G19	34,000
Plate for 2P MCB	31AVMCB2_G19	34,000

### Socket Outlet w. Shutter 250V (complete set)

Description	Reference	Unit Price
16A 2 pin single socket	E426UST_G19	54,000
16A 2 pin duplex socket	E426UST2CB_G19	92,000
16A 2 pin single socket & 1 switch aperture	E426UX_G19	84,000
16A 2 pin single socket & 2 switch aperture	E426UXX_G19	84,000
16A 3 pin single socket	E426UEST_G19	97,000
16A 3 pin duplex socket	E426UEST2_T_G19	123,000
16A 3 pin single socket & 1 switch aperture	E426UEX_G19	112,000
16A 3 pin duplex switched socket	E25UES_G19	164,000

### Telephone Outlet (complete set)

Description	Reference	Unit Price
6 wire 1 gang Tel	3301AV1_G19	97,000
6 wire 2 gang Tel	3301_2_G19	163,000

### Weather proof plate, IP54: IEC60529

Description	Reference	Unit Price
IP54 weatherproof cover w. box for series 30	223V	305,000
IP54 aperture plate	31AWP	197,000

Delivery time: 30 - 60 days

## Switch & accessories for 30 Series, E30 Series & 2000 Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND



### Switch Module 250V

Description	Reference	Unit Price
16A 1 way switch	E30_1M_D_G19	16,600
10A 2 way switch	30M_G19	39,000
35A 2 way switch	30M35	311,000
20A 3P switch	30MD20	137,000
15A 4 position rotary switch	30RSM3	255,000
3A bell switch	30MBP2_3J_G19	69,000

### VDI Outlet Module

Description	Reference	Unit Price
TV coaxial outlet	30TV75MS_G19	64,000
Tel outlet	RJ11VM30MJ	130,000
8 wire data outlet, cat5e	ACTRJ30M5ENSUWE	152,000
8 wire data outlet, cat6	VDIB17756UWE	338,000

### Dimmer & Neon Indicator Module

Description	Reference	Unit Price
400W fan speed controller	32V400FM_K	259,000
500W light dimmer	32V500M_K	233,000
Neon indicator, red	E32NRD_G19	45,000
Neon indicator, green	E32NGN_G19	45,000

### Plug Top 250V

Description	Reference	Unit Price
10A 2 Flat pin plug tops	U418T2	56,000
16A 3 pin plug tops	U418T_WE	70,000
13A 3 pin british plug w. fuse	EP13_G19	172,000

### Wall Box For AS

Description	Reference	Unit Price
1G box, 101x51x38mm	157	25,000
1G box, 101x51x51mm	157/1	29,000
Surface box for series 30	CK237	26,000
Surface box for series 2000	CK2237	26,000

### Wall Box For BS

Description	Reference	Unit Price
1G box, 75x75x47mm	E257DBE	27,000
1G box, 134x75x47mm	ET257DBE	49,000

### Accessories

Description	Reference	Unit Price
Screw cap, s30	31AVH_2_CO_G19	1,400

Delivery time: 30 - 60 days



## E30 Series

Standard:

Plate: BS5733

Switch: BS1363-2, BS3676, BS5733 & BS546

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733



Tiêu chu n:

M t: BS5733

Công t c: BS1363-2, BS3676, BS5733 & BS546

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Plate

Description	Reference	Unit Price
1 gang square plate	E31	34,000
2 gang square plate	E32	34,000
3 gang square plate	E33	34,000
Square blank plate	E31X	51,000

### British & Schuko Socket w. Shutter 250V (complete set)

Description	Reference	Unit Price
13A 3P single switch socket	E15R_WE	134,000
13A 3P duplex switch socket	E25R	376,000
13A 3P duplex switch socket w. neon	E25N	450,000
15A 3 round pin single socket	E426_15	121,000
15A 3 round pin single switched socket	E15_15	188,000
16A Schuko socket	E426_16	158,000
13A fused connection unit	E30FSG	263,000

### ESM Metal Clad Switch & Socket w. Shutter 250V (complete set)

Description	Reference	Unit Price
10A 1 gang 1 way switch metalclad	ESM31_1_2AR	289,000
10A 1 gang 2 way switch metalclad	ESM32_1_2AR	374,000
10A 2 gang 1 way switch metalclad	ESM33_1_2AR	475,000
10A 2 gang 2 way switch metalclad	ESM31_2_3A	321,000
10A 3 gang 1 way switch metalclad	ESM32_2_3A	416,000
10A 4 gang 1 way switch metalclad	ESM34_1_2AR	508,000
13A 1G metalclad switch socket	ESM15	373,000
13A twin metalclad switched socket	ESM25	683,000

### Hotel Series

Description	Reference	Unit Price
110/240V Shaver socket (vertical)	E727	1,310,000
110/240V Shaver socket (horizontal)	E727HT	1,310,000
16A Key card switch 25 sec. off delay	E2031EKT	820,000
Blank key card for E2031EKT	E2031EKT_KC	15,000
20A DP key switch	E31KT_C5	462,000
Labeling key tag for E31KT	EKT	64,000

Delivery time: 30 - 60 days

# Mega-2000 & S2000 Series



Mega-2000 & 2000 Series  
Standard:

Plate: BS5733  
Switch: IEC60669-1  
Socket: IEC60884  
VDI outlet: IEC11801, BS3041, BS5733

Sê-ri Mega-2000 & Sê-ri 2000

Tiêu chu n:

M t: BS5733  
Công t c: IEC60669-1  
c m: IEC60884  
đ li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Grid Plate (w.o surround)

Description	Reference	Unit Price
1 gang plate	2031VHGA_G19	17,700
2 gang plate	2032VHGA_G19	17,700
3 gang plate	2033VHGA_G19	17,700
4 gang plate	2034VHGA_G19	35,000
5 gang plate	2035VHGA_G19	35,000
6 gang plate	2036VHGA_G19	35,000
Blank plate	2031VXGA_G19	31,000

### Socket w. Shutter 250V (w.o surround)

Description	Reference	Unit Price
16A 2 pin single socket	2426USGA_G19	57,000
16A 2 pin duplex socket	2426US2GA_G19	95,000
16A 2 pin single socket & 1 switch aperture	2426USXGA_G19	83,000
16A 2 pin single socket & 2 switch aperture	2426USXXGA_G19	91,000
16A 3 pin single socket	2426UESGA_G19	101,000
16A 3 pin duplex socket	2426UES2_TGA_G19	128,000
16A 3 pin single socket & 1 switch aperture	2426UESXGA_G19	116,000
16A 3 pin single socket & 2 switch aperture	2426UESXXGA_G19	116,000

### Mega-2000 Series Switch 16A 250V (complete set)

Description	Reference	Unit Price
16A 1 gang 1 way switch	2031L1_2A_G19	85,000
16A 1 gang 2 way switch	2031L2_3A_G19	114,000
16A 2 gang 1 way switch	2032L1_2A_G19	130,000
16A 2 gang 2 way switch	2032L2_3A_G19	156,000
16A 3 gang 1 way switch	2033L1_2A_G19	177,000
16A 3 gang 2 way switch	2033L2_3A_G19	193,000
16A 1 gang 2 way switch w. neon	2031L2_4NA_G19	141,000
16A 2 gang 2 way switch w. neon	2032L2_4NA_G19	223,000
16A 3 gang 2 way switch w. neon	2033L2_4NA_G19	251,000
Bell switch	2031LBPRA_G19	76,000

### Surround (for grid plate & socket)

Description	Reference	Unit Price
Surround, while color	2000_WE_G19	7,600
Surround, color	2000 (color)	14,900



Delivery time: 30 - 60 days

## S-Flexi Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733



Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Plate

Description	Reference	Unit Price
1 gang plate	FG1051	17,500
2 gang plate	FG1052	17,500
3 gang plate	FG1053	17,500
1 gang plate (for 1M size)	FG1050	17,700

### Switch Module 16A 250V

Description	Reference	Unit Price
16A 1 way switch, L size	F50M4	35,000
16A 1 way switch, M size	F50M2	26,000
16A 1 way switch, S size	F50M1_5	22,000
16A 1 way switch, XS size	F50M1	22,000
16A 2 way switch, L size	F50_2M4	45,000
16A 2 way switch, M size	F50_2M2	39,000
16A 2 way switch, S size	F50_2M1_5	40,000
16A 2 way switch, XS size	F50_2M1	32,000

### Bell switch Module 10A 250V

Description	Reference	Unit Price
10A Bell switch (L size)	F50BPM4	53,000
10A Bell switch (M size)	F50BPM2	53,000


### Switch 16A 250V (complete set)

Description	Reference	Unit Price
16A 1 gang 1 way switch, size L	F1051	51,000
16A 2 gang 1 way switch, size M	F1052	69,000
16A 3 gang 1 way switch, size S	F1053	84,000
16A 4 gang 1 way switch, size XS	F1054	99,000
16A 1 gang 2 way switch, size L	F1051_2	59,000
16A 2 gang 2 way switch, size M	F1052_2	95,000
16A 3 gang 2 way switch, size S	F1053_2	123,000
16A 4 gang 2 way switch, size XS	F1054_2	128,000

### Weather proof plate w. box, IP54: IEC 60529

Description	Reference	Unit Price
Weatherproof cover for S-Flexi series (white color)	F3223HSMR	362,000

## Switch mechanism



Delivery time: 30 - 60 days

## S-Flexi Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733


Tiêu chuẩn:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884


d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Socket Module 250V w. Shutter

Description	Reference	Unit Price
10A 2 pin socket, S size	F30426USM	37,000
10A 2 pin socket, M size	F1426USM	37,000
16A 3 pin socket, M size	F1426UESM	68,000
13A International socket, M size	F1426UAM	68,000
16A 3 pin twin socket, L size	F1426UEST2M_G19	79,000




### VDI Outlet Module

Description	Reference	Unit Price
TV coaxial, M size	F50TVM	64,000
4 wire Tel, M size	F50RJ4M	98,000
8 wire data outlet w. shutter, cat5e, M size	F50RJ5EM	179,000
TV coaxial, S size	F30TVSM	58,000
4 wire Tel outlet, S size	F30R4M	75,000
8 wire data w. shutter outlet, cat5e, S size	F30RJ5EM	154,000


### Dimmer & Accessories Module

Description	Reference	Unit Price
Fan speed controller, M size	F50FC250M	218,000
400W light dimmer, M size	F50RD400M	182,000
10A neon indicator, M size	F50NM2_RD	50,000
10A neon indicator, S size	F30NM2_RD	52,000
Blank cover, XS size	F50XM1	10,900
Blank cover, M size	F50XM2	10,900

### Socket mechanism



### Accessories



Delivery time: 30 - 60 days

## Concept Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Plate

Description	Reference	Unit Price
1 gang plate	A3001_G19	23,000
2 gang plate	A3002_G19	23,000
3 gang plate	A3000_G19	23,000
Twin plate	A3000T2_G19	41,000
Blank plate	A3030VX_G19	35,000

### Switch Module 16A - 250V, w. Fluorescent

Description	Reference	Unit Price
16A 1 way switch w.fluores (S size)	3031_1_2M_F_G19	40,000
16A 2 way switch w.fluores (S size)	3031_2_3M_F_G19	54,000
16A 1 way switch w.fluores (M size)	3031M1_2M_F_G19	50,000
16A 2 way switch w.fluores (M size)	3031M2_3M_F_G19	62,000
16A 1 way switch w.fluores (L size)	3031E1_2M_F_G19	58,000
16A 2 way switch w.fluores (L size)	3031E2_3M_F_G19	71,000

### Switch Module 250V, w. Neon

Description	Reference	Unit Price
1 way switch w. neon (S size)	3031_1_2NM_G19	111,000
20A double pole sw (L size)	3031EMD20NM_G19	193,000

### Bell Switch Module 250V

Description	Reference	Unit Price
Bell switch (L size)	3031EMBP2_3_G19	77,000

### Weather proof plate, IP54: IEC 60529

Description	Reference	Unit Price
Weatherproof cover w. box for Concept series	A3223HSMR	402,000
Weatherproof cover w. box for Concept series	A3223HSMR_GY	402,000

### Door chime and press

Description	Reference	Unit Price
220v 2 wire door chime	99AC220	271,000
Weatherproof bell press	A3031WBP	203,000
Weatherproof bell press, IP44, white color	A3031WBP_WE	203,000

Delivery time: 30 - 60 days



Standard:

Plate: BS5733  
 Switch: IEC60669-1  
 Socket: IEC60884  
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mô hình: BS5733  
 Công nghệ: IEC60669-1  
 Mã số: IEC60884  
 Ứng dụng: TV, thông tin: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

**Socket w. Shutter Module 16A - 250V**

Description	Reference	Unit Price
16A 2 pin socket	3426USM_G19	42,000
16A 3 pin socket	3426UESTM_G19	81,000
16A 3 pin twin socket	3426UEST2M_G19	94,000



**VDI Outlet Module**

Description	Reference	Unit Price
TV coaxial outlet	3031TV75MS_G19	96,000
6 wire Tel outlet w. shutter	3031RJ64M_G19	96,000
8 wire data outlet w.shutter	3031RJ88SMA5_G19	185,000



**Dimmer & Accessories Module**

Description	Reference	Unit Price
Fan speed controller	3031V400FM_K_G19	367,000
500W light dimmer	3031V500M_K_G19	324,000
Red neon indicator	3031NRD_G19	57,000
Green neon indicator	3031NGN_G19	57,000
Blank cover (S size)	3030P_G19	10,600



**Hotel Series Module (used with Vertical Plate)**

Description	Reference	Unit Price
110/240V Shaver socket (vertical)	A3727	1,280,000
240V key card switch (vertical)	A3031EKT	729,000
"Do not disturb" neon indicator	3031NDM_RD	196,000
"Please clean up" neon indicator	3031NPM_GN	196,000
3 position switch	3039M	272,000



**Hotel Series Module (used with Horizontal Plate)**

Description	Reference	Unit Price
110/240V Shaver socket (horizontal)	A3727H	1,280,000
240V key card switch (horizontal)	A3031EKTH	729,000
"Do not disturb" neon indicator	3031NDMH_RD	196,000
"Please clean up" neon indicator	3031NPMH_GN	196,000
3 position switch	3039MH	272,000



Delivery time: 30 - 60 days

## Zencelo, White Color Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

### Switch, White Color



Description	Reference	Unit Price
16A 1G 1W switch w. Ondicator	E8431_1	(**)
16A 2G 1W switch w. Ondicator	E8432_1	(**)
16A 3G 1W switch w. Ondicator	E8433_1	(**)
16A 1G 2W switch	E8431_2	(**)
16A 2G 2W switch	E8432_2	(**)
16A 3G 2W switch	E8433_2	(**)
1G 350VA, 50Hz dimmer w. LED	E8431EPD4	(**)
2G 300VA, 50Hz dimmer w. LED	E8432EPD3	(**)



### Double Pole Switch, White Color

Description	Reference	Unit Price
20A 1G DP switch w. neon	E8431D20	(**)
20A 2G DP switch w. neon	E8432D20	(**)
32A 1G DP switch w. neon	E8431D32	(**)
45A 1G DP switch w. neon	E8431D45	(**)




### Socket Outlet, White Color

Description	Reference	Unit Price
10A 1G 2 pin switched socket w. Ondicator	E8415U	(**)
10A 1G 2 pin socket	E84426U	(**)
10A 2G 2 pin socket	E84426U2	(**)
16A 1G 3 pin socket	E84426UEST	(**)
16A 2G 3 pin socket	E84426UEST2	(**)
16A 1G International socket w. shutter	E84426_16IS	(**)



### British Socket Outlet, White Color

Description	Reference	Unit Price
13A 1G socket	E84426	(**)
13A 1G switched socket w. Ondicator	E8415	(**)
13A 1G switched socket w. neon	E8415N	(**)
13A twin gang socket	E84T426	(**)
13A twin gang switched socket w. Ondicator	E84T25	(**)
13A twin gang switched socket w. neon	E84T25N	(**)
13A 1G DP switched socket w. Ondicator	E8415D	(**)
13A twin gang DP switched socket w. Ondicator	E84T25D	(**)
13A 1G DP switched socket w. neon	E8415DN	(**)
13A twin gang DP switched socket w. neon	E84T25DN	(**)
45A DP switch & 13A switched socket	E84T15D45N	(**)



Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

Add \_SZ for silver bronze

\_SA for satin color

## Zencelo, White Color Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

### VDI Outlet, White Color



Description	Reference	Unit Price
1G CATV outlet	E8431CATV	(**)
1G TV outlet	E8431TVS	(**)
2G TV outlet	E8432TVS	(**)
1G TV outlet slave, 5-1000 Mhz , F connection	E8431TVSF	(**)
1G TV outlet master, 5-1000 Mhz, F connection	E8431TVMF	(**)
1G Tel outlet w. shutter on plate	E8431RJS4	(**)
2G Tel outlet w. shutter on plate	E8432RJS4	(**)
1G data outlet cat5e, w. integrated shutter	E8431RJ_5	(**)
1G data outlet cat5e, w. shutter on plate	E8431RJS_5	(**)
2G data outlet cat5e, w. integrated shutter	E8432RJ_5	(**)
2G data outlet cat5e, w. shutter on plate	E8432RJS_5	(**)
1G data outlet cat6, w. integrated shutter	E8431RJ_6	(**)
1G data outlet cat6, w. shutter on plate	E8431RJS_6	(**)
2G data outlet cat6, w. integrated shutter	E8432RJ_6	(**)
2G data outlet cat6, w. shutter on plate	E8432RJS_6	(**)
Tel & data outlet cat5e, w. integrated shutter	E8432TDRJS_5	(**)
Tel & data outlet cat6, w. shutter on plate	E8432TDRJS_6	(**)
1G plate w.o modular jack	E8431RJ	(**)
1G shuttered plate w.o modular jack	E8431RJS	(**)
2G plate w.o modular jack	E8432RJ	(**)
2G shuttered plate w.o modular jack	E8432RJS	(**)



### Hotel Series, White Color

Description	Reference	Unit Price
Shaver unit, vertical	E84T727V	(**)
Shaver unit, horizontal	E84T727H	(**)
Key card time delay switch	E8431 EKT	(**)
DND & PCU illuminated Indicator	E8432DM	(**)
2G switch with illuminated DND & PCU symbols	E8431BPDM	(**)
1G bell switch with illuminated DND & PCU symbols	E8432DMS	(**)
1G bell switch with illuminated "Do not disturb" symbol	E8431BPD	(**)
1G bell switch with illuminated "Please clean up" symbol	E8431BPM	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

Add \_SZ for silver bronze

\_SA for satin color

## Neo, White Color Series

Standard:

Plate: BS5733  
 Switch: IEC60669-1  
 Socket: IEC60884  
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chuẩn:

Mô tả: BS5733  
 Công nghệ: IEC60669-1  
 Công suất: IEC60884  
 Ứng dụng, TV, môi trường: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Horizontal Switch With LED, White Color

Description	Reference	Unit Price
10A 1G 1W switch w. LED	E3031H1_EWWW	(**)
10A 2G 1W switch w. LED	E3032H1_EWWW	(**)
10A 3G 1W switch w. LED	E3033H1_EWWW	(**)
10A 4G 1W switch w. LED	E3034H1_EWWW	(**)
10A 1G 2W switch w. LED	E3031H2_EWWW	(**)
10A 2G 2W switch w. LED	E3032H2_EWWW	(**)
10A 3G 2W switch w. LED	E3033H2_EWWW	(**)
10A 4G 2W switch w. LED	E3034H2_EWWW	(**)
16A Intermediate switch	E3031HIA_EWWW	(**)
600W 1G dimmer w. LED	E3031HD_EWWW	(**)
600W 2G dimmer w. LED	E3032HD_EWWW	(**)



### DP Switch & Connection Unit, White Color

Description	Reference	Unit Price
20A DP switch w. LED	E3031HD20_EWWW	(**)
32A DP switch	E3031DR32_WW	(**)
32A DP switch w. LED	E3031DR32_EWWW	(**)
45A DP switch	E3031DR45_WW	(**)
45A DP switch w. LED	E3031DR45_EWWW	(**)
25A connection unit	E3031TB_WW	(**)
13A fused connection unit	E3030FSG_WW	(**)
13A fused connection unit w. LED	E3030FSG_EWWW	(**)
13A fused connection unit w. DP switch	E3031DFSG_WW	(**)
13A fused connection unit w. DP switch & LED	E3031DFSG_EWWW	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

## Neo, White Color Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733


Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884


d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Socket Outlet, White Color

Description	Reference	Unit Price
10A 2 pin single socket	E3426US_WW	(**)
10A 2 pin switched socket	E3015US_WW	(**)
10A 2 pin duplex socket	E3426US2_WW	(**)
16A 3 pin single socket	E3426UEST_WW	(**)
16A 3 pin duplex socket	ET3426UEST2_WW	(**)
10A International socket	E3426_10IS_WW	(**)



### British Socket Outlet, White Color

Description	Reference	Unit Price
13A 3 pin socket	E3426_WW	(**)
13A 3 pin twin socket	ET3426_WW	(**)
13A 3 pin switched socket	E3015_WW	(**)
13A 3 pin switched socket w. LED	E3015D_EWWW	(**)
13A 3 pin twin switched socket	ET3025_WW	(**)
13A 3 pin twin switched socket w. LED	ET3025D_EWWW	(**)
16A Schuko socket	E3426_16S_WW	(**)



### VDI Outlet, White Color

Description	Reference	Unit Price
1G TV outlet	E3031TV_WW	(**)
2G TV outlet	E3032VTV_WW	(**)
1G Tel outlet w. shutter	E3031RJ_WW	(**)
2G Tel outlet w. shutter	E3032RJ_WW	(**)
1G data outlet, cat5e, w. shutter	E3031RJ5E_WW	(**)
2G data outlet, cat5e, w. shutter	E3032RJ5E_WW	(**)
TV & FM w. 2 cord grips	E3032VTVFM_2_WW	(**)
Tel outlet & data outlet cat5e, outlet w. shutter	E3032TD_WW	(**)



### Accessories, White Color

Description	Reference	Unit Price
1G blank plate	E3030X_WW	(**)
2G blank plate	ET3030X_WW	(**)



### Hotel Series, White Color

Description	Reference	Unit Price
115/240V Shaver unit, vertical	ET3727V_WW	(**)
Key card switch	E3031EKTH_WW	(**)
DND & PCU illuminated indicator	E3030VDM_WW	(**)
2G switch with illuminated DND & PCU symbols	E3032HDM_WW	(**)
Bell switch, horizontal	E3031HBP_WW	(**)

## Neo, Grey Silver Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

### Horizontal Switch With LED, Grey Silver Color



Description	Reference	Unit Price
10A 1G 1W switch w. LED	E3031H1_EBGS	(**)
10A 2G 1W switch w. LED	E3032H1_EBGS	(**)
10A 3G 1W switch w. LED	E3033H1_EBGS	(**)
10A 4G 1W switch w. LED	E3034H1_EBGS	(**)
10A 1G 2W switch w. LED	E3031H2_EBGS	(**)
10A 2G 2W switch w. LED	E3032H2_EBGS	(**)
10A 3G 2W switch w. LED	E3033H2_EBGS	(**)
10A 4G 2W switch w. LED	E3034H2_EBGS	(**)
16A intermediate switch, horizontal	E3031HIA_EBGS	(**)
600W 1G dimmer w. LED	E3031HD_EBGS	(**)
600W 2G dimmer w. LED	E3032HD_EBGS	(**)



### DP Switch & Connection Unit, Grey Silver Color

Description	Reference	Unit Price
20A DP switch w. LED	E3031HD20_EBGS	(**)
32A DP switch	E3031DR32_GS	(**)
32A DP switch w. LED	E3031DR32_EBGS	(**)
45A DP switch	E3031DR45_GS	(**)
45A DP switch w. LED	E3031DR45_EBGS	(**)
25A connection unit	E3031TB_GS	(**)
13A fused connection unit	E3030FSG_GS	(**)
13A fused connection unit w. LED	E3030FSG_EBGS	(**)
13A fused connection unit w. DP switch	E3031DFSG_GS	(**)
13A fused connection unit w. DP switch & LED	E3031DFSG_EBGS	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

## Neo, Grey Silver Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733


Tiêu chu n:

M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733



Unit price (incl.VAT) in VND

### Socket Outlet, Grey Silver Color

Description	Reference	Unit Price
10A 2 pin single socket	E3426US_GS	(**)
10A, 2 pin switched international socket	E3015US_GS	(**)
10A 2 pin duplex socket	E3426US2_GS	(**)
16A 3 pin single socket	E3426UEST_GS	(**)
16A 3 pin twin socket	ET3426UEST2_GS	(**)
10A International socket	E3426_10IS_GS	(**)

### British Socket Outlet, Grey Silver Color

Description	Reference	Unit Price
13A, 3 pin socket	E3426_GS	(**)
13A, twin 3Pin socket	ET3426_GS	(**)
13A 3 pin switched socket	E3015_GS	(**)
13A 3 pin switched socket w. LED	E3015D_EBGS	(**)
13A 3Pin twin switched socket	ET3025_GS	(**)
13A 3Pin twin switched socket w. LED	ET3025D_EBGS	(**)
16A Schuko socket	E3426_16S_GS	(**)

### VDI Outlet, Grey Silver Color

Description	Reference	Unit Price
1G TV outlet	E3031TV_GS	(**)
2G TV outlet	E3032VTV_GS	(**)
1G Tel outlet w. shutter	E3031RJ_GS	(**)
2G Tel outlet w. shutter	E3032RJ_GS	(**)
1G data outlet, cat5e, w. shutter	E3031RJ5E_GS	(**)
2G data outlet, cat5e, w. shutter	E3032RJ5E_GS	(**)
TV & FM w. 2 cord grips	E3032VTVFM_2_GS	(**)
Tel outlet & data outlet cat5e, outlet w. shutter	E3032TD_GS	(**)

### Accessories, Grey Silver Color

Description	Reference	Unit Price
1G blank plate	E3030X_GS	(**)
2G blank plate	ET3030X_GS	(**)

### Hotel Series, Grey Silver Color

Description	Reference	Unit Price
115/240V Shaver unit, vertical	ET3727V_GS	(**)
Key card switch	E3031EKTH_GS	(**)
DND & PCU illuminated indicator	E3030VDM_GS	(**)
2G switch with illuminated DND & PCU symbols	E3032HDM_GS	(**)
Bell switch, horizontal	E3031HBP_GS	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:



M t: BS5733

Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND



### Socket Outlet, Grey Silver Color

Description	Reference	Unit Price
16A 1G 1W switch	KB31_1	(**)
16A 2G 1W switch	KB32_1	(**)
16A 3G 1W switch	KB33_1	(**)
16A 4G 1W switch	KB34_1	(**)
16A 1G 2W switch	KB31	(**)
16A 2G 2W switch	KB32	(**)
16A 3G 2W switch	KB33	(**)
16A 4G 2W switch	KB34	(**)

### Double Pole (DP) Switch 250V

Description	Reference	Unit Price
20A 1G 2W DP switch w. neon	KB31D20NE_2	(**)
20A 2G 2W DP switch w. neon	KB32D20NE	(**)
45A twin gang DP switch w. neon	KB31DR45N	(**)

### Bell Switch

Description	Reference	Unit Price
10A 250V Bell Press Switch	KB31BPB	(**)

### Socket Outlet 250V

Description	Reference	Unit Price
10A 1G 2 pin universal socket	KB426US	(**)
10A 2G 2 pin universal socket	KB426US2	(**)
16A 1G 3 pin universal socket	KB426UESTR_G19	(**)
16A 2G 3 pin universal socket	KBT426UEST2R_G19	(**)
13A 1G 3 pin Int'l socket	KB413S	(**)
13A 1G 3 pin Int'l switched socket	KB113LS	(**)
13A 1G 3 pin Int'l switched socket w. neon	KB113LSN	(**)

### British socket Outlet 250V

Description	Reference	Unit Price
13A 1G socket	KB426	(**)
13A twin gang socket	KBT426	(**)
13A 1G switched socket	KB15	(**)
13A twin gang switched socket	KB25	(**)
13A 1G switched socket with neon	KB15N	(**)
13A twin gang switched socket with neon	KB25N	(**)
13A 1G DP switched socket with neon	KB15LDN	(**)
13A twin gang DP switched socket with neon	KB25LDN	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.



Standard:

Plate: BS5733  
 Switch: IEC60669-1  
 Socket: IEC60884  
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733  
 Công t c: IEC60669-1  
 c m: IEC60884  
 d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

Switche 16A 250V



### VDI Outlet & Plate

Description	Reference	Unit Price
1G TV Co-Axial outlet	KB31TV	(**)
2G TV Co-Axial outlet	KB32TV	(**)
1G cable TVF connector	KB31TVF	(**)
1G Tel outlet w. shutter	KB31TS	(**)
2G Tel outlet w. shutter	KB32TS	(**)
1G data outlet Cat5e w. shutter	KB31RJ5E	(**)
2G data outlet Cat5e w. shutter	KB32RJ5E	(**)
1G data outlet Cat6 w. shutter	KB31RJ6	(**)
2G data outlet Cat6 w. shutter	KB32RJ6	(**)
1G Tel outlet + 1G data outlet Cat 5e w. shutter	KB32TSWRJ5E	(**)
1G TV + 1G FM outlet	KB32TVFM	(**)
1G Wall plate for key stone type data jack	KB31RJK	(**)
2G Wall plate for key stone type data jack	KB32RJK	(**)

### Dimmer & Accessories

Description	Reference	Unit Price
1G 400W Light Dimmer	KB31RD400	(**)
1G 250VA Fan Speed Controller	KB31RF250	(**)

### Flush Plate

Description	Reference	Unit Price
1G blank plate	KB30	(**)
Twin gang blank plate	KBT30	(**)

### Hotel Series

Description	Reference	Unit Price
Do Not Disturb w. Bell Press	KB31BD	(**)
Do Not Disturb and Clean Up Room w. Bell Press	KB31BD_C	(**)
Hotel key card	KB31EKT	(**)
115/240V Shaver Unit	KBT727V	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

## Pieno, White Series

Standard:

Plate: BS5733

Switch: IEC60669-1

Socket: IEC60884

VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733


Công t c: IEC60669-1

c m: IEC60884

d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

Switche 16A 250V



### Switch 16A 250V with Fluorescent Locator

Description	Reference	Unit Price
16A 1 Gang 1 Way Switch	E8231L1F	(**)
16A 2 Gang 1 Way Switch	E8232L1F	(**)
16A 3 Gang 1 Way Switch	E8233L1F	(**)
16A 4 Gang 1 Way Switch	E8234L1F	(**)
16A 1 Gang 2 Way Switch	E8231L2F	(**)
16A 2 Gang 2 Way Switch	E8232L2F	(**)
16A 3Gang 2Way Switch	E8233L2F	(**)
16A 4 Gang 2 Way Switch	E8234L2F	(**)

### Switch 16A 250V with Neon Locator

Description	Reference	Unit Price
16A 1 Gang 1 Way Switch	E8231L1N	(**)
16A 2 Gang 1 Way Switch	E8232L1N	(**)
16A 3 Gang 1 Way Switch	E8233L1N	(**)
16A 4 Gang 1 Way Switch	E8234L1N	(**)

### Double Pole (DP) Switch 250V

Description	Reference	Unit Price
20A 1 Gang 2 Way Double Pole Switch With Neon and Earth	E8231D20N	(**)
20A 2 Gang Double Pole Switch With Neon and Earth	E8232D20N	(**)
	E8231D32N	(**)
45A Double Pole Switch with Neon	E8231D45N	(**)

### Socket Outlet 250V

Description	Reference	Unit Price
10A 1 Gang 2 Pin Universal Socket	E82426U	(**)
10A 2 Gang 2 Pin Universal Socket	E82426U2	(**)

### British Socket Outlet 250V

Description	Reference	Unit Price
13A 1 Gang Socket	E82426	(**)
13A Twin Gang Socket	E82T426	(**)
13A 1 Gang Switched Socket	E8215	(**)
13A Twin Gang Switched Socket	E82T25	(**)
13A 1 Gang Switched Socket with Neon	E8215N	(**)
13A Twin Gang Switched Socket with Neon	E82T25N	(**)
13A 1 Gang Double Pole Large Dolly Switched Socket with Neon	E8215DN	(**)
13A Twin Gang Double Pole Large Dolly Switched Socket with Neon	E821T25DN	(**)

### Plate

Description	Reference	Unit Price
1 Gang Blank Plate	E8230X	(**)
Twin Gang Blank Plate	E8230TX	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

Add\_LS for lavender color

## Pieno, White Series

Standard:

Plate: BS5733  
 Switch: IEC60669-1  
 Socket: IEC60884  
 VDI outlet: IEC11801, BS3041, BS5733

Tiêu chu n:

M t: BS5733  
 Công t c: IEC60669-1  
 c m: IEC60884  
 d li u, TV, i n tho i: IEC11801, BS3041, BS5733

Unit price (incl.VAT) in VND

Switche 16A 250V



### VDI Socket & Plate

Description	Reference	Unit Price
1 Gang TV Co-Axial Outlet	E8231TV	(**)
1 Gang Telephone Outlet with Shutter	E8231RJS4	(**)
1 Gang Category 5e Data Outlet with Shutter	E8231RJS_5	(**)
2 Gang TV Co-Axial Outlet	E8432TV	(**)
2 Gang Telephone Outlet with Shutter	E8232RJS4	(**)
2 Gang Category 5e Data Outlet with Shutter	E8232RJS_5	(**)
1 Gang Telephone Outlet + 1 Gang Cat 5e Data Outlet with Shutter	E8232TDRJS_5	(**)

### Dimmer & Accessories Modules

Description	Reference	Unit Price
1 Gang 400W Light Dimmer	E8232RD500	(**)
1 Gang Fan Speed Controller	E8232V400FMK	(**)

### Bell Switch Module

Description	Reference	Unit Price
10A Bell Press Switch	E8231BPL1	(**)

### Hotel Series

Description	Reference	Unit Price
16A Key card switch	E8231EKT	(**)
115V/240V Shaver unit, horizontal	E82T727H	(**)
115V/240V Shaver unit, vertical	E82T727V	(**)
16A 1G switch w. neon w. "Privacy" Symbol	E8231DS	(**)
16A 1G switch w. neon w. "PCU" Symbol	E8231CS	(**)

Delivery time: 30 - 60 days

(\*\*) Please contact Schneider Electric distributors for price request.

Add\_LS for lavender color

## Floor Sockets

Floor socket

2 color option: Aluminum shine & Brass

Multi choices bcs of replacable socket

Easy to install & Safety

c m âm sàn

2 màu s c l a ch n: Nh b c & Nh ng

Thay i linh ho t các thi t b áp ng nhu c us d ng

D l p t & an toàn cao

Unit price (incl.VAT) in VND

### Empty Floor outlet, with outlet box



Description	Reference	Unit Price
Empty floor outlet w. box for S-Flexi, aluminium color	E224F_ABE	1,126,000
Empty floor outlet w. box for S-Flexi, brass color	E224F_BAS	1,351,000
Empty floor outlet w. box for series Concept, aluminium color	CON224_ABE	1,126,000
Empty floor outlet w. box for series Concept, brass color	CON224_BAS	1,351,000
55mm box for floor outlet	M224B	70,000
65mm box for floor outlet	M224DB	114,000

Best Quality Most Flexible in The Market



**E224F-ABE**  
Pop-up with wall box  
FREE wall box  
1,250.-



**E224F-BAS**  
Pop-up with wall box  
FREE wall box  
2,000.-



**F1426UAM**  
13A 250V 3 Pin International Socket  
Outlet With Shutter



Delivery time: 30 - 60 days

Standard: IEC 60309

Tiêu chuẩn: IEC 60309

được thiết kế dùng trong các ứng dụng kỹ thuật.

Thích hợp dùng trong các ngành công nghiệp máy, nhà máy  
điện & các ngành xây dựng.

Độ bền và an toàn cao.

Chất liệu làm bằng vật liệu polyamid, chịu nhiệt và cách điện cao.

Vật liệu không gỉ



Unit price (incl.VAT) in VND

**IP44, WANDER PLUG**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKE16M423	136,000
3P	32A	200-250V	PKE32M423	228,000
4P	16A	380-415V	PKE16M434	162,000
4P	32A	380-415V	PKE32M434	262,000
5P	16A	380-415V	PKE16M435	196,000
5P	32A	380-415V	PKE32M435	296,000



**IP67, WANDER PLUG**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKE16M723	349,000
3P	32A	200-250V	PKE32M723	468,000
3P	63A	200-250V	81378	1,032,000
3P	125A	200-250V	81390	2,399,000
4P	16A	380-415V	PKE16M734	381,000
4P	32A	380-415V	PKE32M734	500,000
4P	63A	380-415V	81382	1,091,000
4P	125A	380-415V	81394	2,477,000
5P	16A	380-415V	PKE16M735	427,000
5P	32A	380-415V	PKE32M735	543,000
5P	63A	380-415V	81383	1,151,000
5P	125A	380-415V	81395	2,539,000



**IP44, CONNECTOR**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16M423	186,000
3P	32A	200-250V	PKF32M423	277,000
4P	16A	380-415V	PKF16M434	211,000
4P	32A	380-415V	PKF32M434	331,000
5P	16A	380-415V	PKF16M435	240,000
5P	32A	380-415V	PKF32M435	414,000



**IP67, CONNECTOR**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16M723	366,000
3P	32A	200-250V	PKF32M723	517,000
3P	63A	200-250V	81478	1,156,000
3P	125A	200-250V	81490	3,100,000
4P	16A	380-415V	PKF16M734	410,000
4P	32A	380-415V	PKF32M734	559,000
4P	63A	380-415V	81482	1,227,000
4P	125A	380-415V	81494	3,393,000
5P	16A	380-415V	PKF16M735	477,000
5P	32A	380-415V	PKF32M735	608,000
5P	63A	380-415V	81483	1,452,000
5P	125A	380-415V	81495	3,553,000

Standard: IEC 60309

Tiêu chuẩn: IEC 60309

được thiết kế dùng trong các ứng dụng công nghiệp.  
Thích hợp dùng trong các ngành công nghiệp máy, nhà máy  
in & các ngành xây dựng.

Đảm bảo tính an toàn cao.

được làm bằng vật liệu polyamid, chịu nhiệt và cách điện cao.  
Vật liệu bền bỉ

Unit price (incl.VAT) in VND

**IP44, PANEL MOUNTED SOCKET**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16G423	185,000
3P	32A	200-250V	PKF32G423	269,000
4P	16A	380-415V	PKF16G434	207,000
4P	32A	380-415V	PKF32G434	298,000
5P	16A	380-415V	PKF16G435	225,000
5P	32A	380-415V	PKF32G435	342,000



**IP67, PANEL MOUNTED SOCKET**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16G723	389,000
3P	32A	200-250V	PKF32G723	506,000
3P	63A	200-250V	81678	973,000
3P	125A	200-250V	81690	2,408,000
4P	16A	380-415V	PKF16G734	448,000
4P	32A	380-415V	PKF32G734	542,000
4P	63A	380-415V	81682	1,054,000
4P	125A	380-415V	81694	2,507,000
5P	16A	380-415V	PKF16G735	512,000
5P	32A	380-415V	PKF32G735	578,000
5P	63A	380-415V	81683	1,132,000
5P	125A	380-415V	81695	2,847,000



**IP44, WALL MOUNTED SOCKET**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16W423	251,000
3P	32A	200-250V	PKF32W423	394,000
4P	16A	380-415V	PKF16W434	315,000
4P	32A	380-415V	PKF32W434	436,000
5P	16A	380-415V	PKF16W435	326,000
5P	32A	380-415V	PKF32W435	452,000



**IP67, WALL MOUNTED SOCKET**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
3P	16A	200-250V	PKF16W723	503,000
3P	32A	200-250V	PKF32W723	674,000
3P	63A	200-250V	81178	1,470,000
3P	125A	200-250V	81190	3,779,000
4P	16A	380-415V	PKF16W734	557,000
4P	32A	380-415V	PKF32W734	694,000
4P	63A	380-415V	81182	1,524,000
4P	125A	380-415V	81194	3,958,000
5P	16A	380-415V	PKF16W735	644,000
5P	32A	380-415V	PKF32W735	819,000
5P	63A	380-415V	81183	1,681,000
5P	125A	380-415V	81195	4,062,000



Standard: BS 3767, BS 5490 & IEC 60529

The 56 Series is suitable for heavy industrial environments with five different protection capabilities – Hose Proof, Dust Proof, Crash Proof, UV Resistance and Chemical Resistance

Unit price (incl.VAT) in VND

**PLUG, IP66**



56P313 GY



56P315RP GY

Pole	Current (A)	Voltage (A)	Pin Config	Reference	Unit Price
3P	10A	250V	A	S56P310GY	662,000
3P	13A	250V		S56P313GY	524,000
3P	15A	250V	A	S56P315GY	803,000
3P	15A	250V		S56P315RPGY	750,000
3P	20A	250V	H	S56P320GY	887,000
3P	32A	250V	B	S56P332GY	931,000
4P	20A	500V	L	S56P420GY	1,026,000
4P	32A	500V	N	S56P432GY	1,190,000
4P	50A	500V	P	S56P450GY	1,190,000
5P	20A	500V	R	S56P520GY	1,190,000
5P	32A	500V	S	S56P532GY	1,794,000
5P	40A	500V	T	S56P540GY	1,794,000

**SWITCH SOCKET OUTLET, IP66**



56C313 GY

Pole	Current (A)	Voltage (A)	Pin Config	Reference	Unit Price
3P	10A	250V	A	S56C310GY	1,123,000
3P	13A	250V		S56C313GY	1,123,000
3P	15A	250V	B	S56C315GY	1,639,000
3P	15A	250V		S56C315RPGY	1,639,000
3P	20A	250V	H	S56C320GY	1,488,000
3P	32A	250V	I	S56C332GY	2,159,000
4P	20A	500V	L	S56C420GY	2,159,000
4P	32A	500V	N	S56C432GY	2,159,000
4P	50A	500V	P	S56C450GY	2,591,000
5P	20A	500V	R	S56C520GY	3,886,000
5P	32A	500V	S	S56C532GY	4,058,000
5P	40A	500V	T	S56C540GY	4,058,000

**SURFACE SOCKET W.O ENCLOSURE, IP66**



56S0310LEGY



56S0520LEGY

Pole	Current (A)	Voltage (A)	Pin Config	Reference	Unit Price
3P	10A	250V	A	S56SO310LEGY	427,000
3P	13A	250V		S56SO313LEGY	532,000
3P	15A	250V	B	S56SO315LEGY	458,000
3P	20A	250V	H	S56SO320LEGY	606,000
3P	32A	250V	I	S56SO332LEGY	695,000
4P	20A	500V	L	S56SO420LEGY	598,000
4P	32A	500V	N	S56SO432LEGY	735,000
4P	50A	500V	P	S56SO450LEGY	782,000
5P	20A	500V	R	S56SO520LEGY	1,712,000
5P	32A	500V	S	S56SO532LEGY	1,712,000
5P	40A	500V	T	S56SO540LEGY	1,712,000

**SURFACE SOCKET W. ENCLOSURE, IP66**



56S0532 GY

Pole	Current (A)	Voltage (A)	Pin Config	Reference	Unit Price
3P	10A	250V	A	S56SO310GY	566,000
3P	13A	250V		S56SO313GY	596,000
3P	15A	250V	B	S56SO315GY	954,000
3P	15A	250V		S56SO315RPGY	1,153,000
3P	20A	250V	H	S56SO320GY	1,056,000
3P	32A	250V	I	S56SO332GY	1,178,000
4P	20A	500V	L	S56SO420GY	1,178,000
4P	32A	500V	N	S56SO432GY	1,419,000
4P	50A	500V	P	S56SO450GY	1,528,000
5P	20A	500V	R	S56SO520GY	1,851,000
5P	32A	500V	S	S56SO532GY	1,851,000
5P	40A	500V	T	S56SO540GY	1,851,000

Standard: BS 3767, BS 5490 & IEC 60529

The 56 Series is suitable for heavy industrial environments with five different protection capabilities – Hose Proof, Dust Proof, Crash Proof, UV Resistance and Chemical Resistance



56SW110LEGY

Unit price (incl.VAT) in VND

**SWITCH W.O ENCLOSURE, IP66**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
1P	10A	250V	S56SW110LEGY	415,000
1P	20A	250V	S56SW120LEGY	431,000
1P	32A	250V	S56SW132LEGY	545,000
2P	20A	500V	S56SW220LEGY	579,000
2P	32A	500V	S56SW232LEGY	572,000
3P	50A	500V	S56SW250LEGY	774,000
3P	10A	500V	S56SW310LEGY	663,000
3P	16A	500V	S56SW316LEGY	682,000
3P	20A	500V	S56SW320LEGY	683,000
3P	32A	500V	S56SW332LEGY	683,000
3P	50A	500V	S56SW350LEGY	1,249,000
3P	63A	500V	S56SW363LEGY	1,249,000



56SW110GY

**SWITCH W. ENCLOSURE, IP66**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
1P	10A	250V	S56SW110GY	554,000
1P	20A	250V	S56SW120GY	665,000
1P	32A	250V	S56SW132GY	728,000
1P	50A	250V	S56SW150GY	728,000
1P	63A	250V	S56SW163GY	850,000
2P	10A	500V	S56SW210GY	850,000
2P	20A	500V	S56SW220GY	850,000
2P	32A	500V	S56SW232GY	850,000
2P	50A	500V	S56SW250GY	1,097,000
2P	63A	500V	S56SW263GY	1,097,000
3P	10A	500V	S56SW310GY	801,000
3P	16A	500V	S56SW316GY	959,000
3P	20A	500V	S56SW320GY	1,227,000
3P	32A	500V	S56SW332GY	1,227,000
3P	50A	500V	S56SW350GY	1,388,000
3P	63A	500V	S56SW363GY	1,388,000



WHT20

WHS20

**ISOLATOR, IP66**

Pole	Current (A)	Voltage (A)	Reference	Unit Price
1P	20A	250V	WHS20_GY	816,000
1P	35A	250V	WHS35_GY	873,000
2P	20A	500V	WHD20_GY	861,000
2P	35A	500V	WHD35_GY	910,000
2P	55A	500V	WHD55_GY	1,176,000
3P	20A	440V	WHT20_GY	911,000
3P	35A	440V	WHT35_GY	1,191,000
3P	55A	440V	WHT55_GY	1,372,000
3P	63A	440V	WHT63_GY	1,541,000
3P	80A	440V	WHT80_GY	2,487,000



56E1

56E2

**MOUNTING ENCLOSURE**

Description	Reference	Unit Price
1G thin box, for Series 56	S56ES1GY	122,000
2G thin box, for Series 56	S56ES2GY	165,000
1G thick box, for Series 56	S56E1GY	138,000
2G thick box, for Series 56	S56E2GY	289,000



## Sensor

- 3 sensor technology: PIR, Ultrasonic & Dual- Tech (PIR & Ultrasonic)
- Wall mount & Ceiling mount
- Usage: Private Office, Storage, Conference room, Corridor

- 3 công nghệ cảm biến: tín hiệu hồng ngoại, sóng siêu âm & kết hợp
- Dùng trong văn phòng, phòng họp, hành lang, vv...



Unit price (incl.VAT) in VND

Sensor			
Description	Box size	Reference	Unit Price
Wall mount 2-wire 90° PIR motion sensor, Zencelo series		<b>E84731MS2A_WE</b>	1,839,000
Wall mount 2-wire 110° PIR motion sensor, Zencelo series		<b>E84731MS2B_WE</b>	1,839,000
Wall mount 3-wire 90° PIR motion sensor, Zencelo series		<b>E84751MS3A_WE</b>	1,576,000
Wall mount 3-wire 110° PIR motion sensor, Zencelo series		<b>E84751MS3B_WE</b>	1,576,000
Wall mount 2-wire 90° PIR motion sensor, Neo series		<b>E3731MS2A_GS</b>	1,839,000
Wall mount 2-wire 200° PIR motion sensor, Neo series		<b>E3731MS2C_GS</b>	1,839,000
Wall mount 3-wire 90° PIR motion sensor, Neo series		<b>E3751MS3A_GS</b>	1,576,000
Wall mount 3-wire 200° PIR motion sensor, Neo series		<b>E3751MS3C_GS</b>	1,576,000
Surface Mount Dual-Load 360° PIR Motion Sensor		<b>SAE_UE_MS_CDAWE</b>	1,970,000
Flush Mount Dual-Load 360° PIR Motion Sensor		<b>SAE_UE_MS_CDBWE</b>	2,101,000
Flush/Surface Mount Single-Load 360° PIR Motion Sensor		<b>SAE_UE_MS_CSAWE</b>	1,149,000
Surface Mount Single-Load 360° PIR Motion Sensor		<b>SAE_UE_MS_CSBWE</b>	1,773,000
Flush/Surface Mount Single-Load 360° PIR and Ultrasonic Motion Sensor		<b>SAE_UE_MS_CU_WE</b>	4,052,000
Flush/Surface Mount Dual-Load 360° PIR occupancy sensor w. auto dimming & IR remote controller		<b>SAE_UE_MS_CDDWE</b>	3,960,000
IR Remote Controller		<b>SAE_UE_MS_1R_WE</b>	394,000
Remote Controller		<b>SAE_UE_MS_IR10T</b>	610,000

(\*\*) Please contact Schneider Electric distributors for price request.

Model Number								
Product Description	Flush/Surface Mount Single-Load 360° PIR and Ultrasonic Motion Sensor	Surface Mount Dual-Load 360° PIR Motion Sensor	Flush Mount Dual-Load 360° PIR Motion Sensor	Surface Mount Single-Load 360° PIR Motion Sensor	Flush/Surface Mount Single-Load 360° PIR Motion Sensor	IR Remote Controller (Optional)	IR Remote Controller for SAE-UE-MS-CU-WE (Optional)	
Sensing Technology	PIR	PIR	PIR	PIR	PIR	--	--	
	Ultrasonic	--	--	--	--	--	--	
Angle of Detection	360°	360°	360°	360°	360°	--	--	
Detection Range	PIR: 8M (diameter) at 2.5M height	7M (diameter) at 2.5M height	7M (diameter) at 2.5M height	7M (diameter) at 2.5M height	7M (diameter) at 2.5M height	--	--	
Load 1	Incandescent Lamp	Max.2000W	Max.2000W	Max.2000W	Max.2000W	--	--	
	HV Halogen Lamp	Max.1000W	Max.1000W	Max.1000W	Max.1000W	--	--	
	LV Halogen Lamp	Max.1000VA	Max.1000VA	Max.1000VA	Max.1000VA	--	--	
	Fluorescent Lamp	Max.900VA/100F	Max.900VA/100F	Max.900VA/100F	Max.900VA/100F	Max.900VA/100F	--	--
	Energy Saving Lamp	Max.900VA	Max.900VA	Max.900VA	Max.900VA	Max.900VA	--	--
Load 2	CFL Lamp	Max.600VA	Max.600VA	Max.600VA	Max.600VA	--	--	
	HVAC	For Load 1 only 1) 10A max. for<250VAC p.f.=1 2) 3A max. for<250VAC p.f.=0.4 3) 5A max. for<30VDC	1) 5A max. for<250VAC p.f.=1 2) 2A max. for<250VAC p.f.=0.4 3) 5A max. for<30VDC	1) 5A max. for<250VAC p.f.=1 2) 2A max. for<250VAC p.f.=0.4 3) 5A max. for<30VDC	--	--	--	
Rated Voltage	220 to 240 Vac 50/60 Hz	230 Vac +/- 10% 50/60 Hz	230 Vac +/- 10% 50/60 Hz	230 Vac +/- 10% 50/60 Hz	230 Vac +/- 10% 50/60 Hz	CR2032 3V Battery	CR2032 3V Battery	
Type of Installation	Ceiling (Flush/Surface)	Ceiling (Surface)	Ceiling (Flush)	Ceiling (Surface)	Ceiling (Flush/Surface)	--	--	
IR Remote Controller (Optional)	SAE-UE-MS-IR10T	SAE-UE-MS-IR-WE	SAE-UE-MS-IR-WE	SAE-UE-MS-IR-WE	No	--	--	

# Plug and Socket Configurations

## Plug Configurations

### 2 & 3 Pin



10A 250V  
A



15A 250V  
B



10A 250V  
C



10A 110V  
D



15A 32V  
Polarised  
E



20A 250V  
F



10A 250V  
G



20A 250V  
H



32A 250V  
I



10A 110V  
J

### 4 Pin



10A 500V  
K



20A 500V  
L



16A 500V  
(unique)  
M



32A 500V  
N



40A 500V  
O



50A 500V  
P

### 5 Pin



10A 500V  
Q



20A 500V  
R



32A 500V  
S



40A 500V  
T



50A 500V  
U

### 6 Pin



10A 500V  
V

### 7 Pin



10A 500V  
W



20A 500V  
X

## Socket Configurations

### 2 & 3 Pin



10A 250V  
A



15A 250V  
B



10A 250V  
C



10A 110V  
D



15A 32V  
Polarised  
E



20A 250V  
F



10A 250V  
G



20A 250V  
H



32A 250V  
I



10A 110V  
J

### 4 Pin



10A 500V  
K



20A 500V  
L



16A 500V  
(unique)  
M



32A 500V  
N



40A 500V  
O



50A 500V  
P



10A 500V  
Q



20A 500V  
R



32A 500V  
S



40A 500V  
T



50A 500V  
U

### 6 Pin



10A 500V  
V

### 7 Pin



10A 500V  
W



20A 500V  
X