



CÔNG TY TRÁCH NHIỆM HỮU HẠN PHƯƠNG LAI

Trụ sở : 181/61/2 Phan Đăng Lưu - Phường 01, Quận Phú Nhuận

VPGD : 76 Đường 20 (Đường M3) KCN Tân Bình mở rộng, Q Bình Tân, TP HCM

Tel: (84-8)62705037 – Fax : 37658476 - MST : 0303750548

Email : phuonglaipc@gmail.com – Website : <http://dien-congnghep.com>

BẢNG GIÁ BIẾN TẦN SIEMENS MICROMASTER 420

Áp dụng từ 01/01/2012 - Giá chưa bao gồm thuế VAT

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
1	6SE6420-2UD13-7AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.37 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.37 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	312.75
2	6SE6420-2UD15-5AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.55 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.55 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	324.18
3	6SE6420-2UD17-5AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.75 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.75 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	336.43
4	6SE6420-2UD21-1AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 1.1 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 1.1 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	355.22

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
5	6SE6420-2UD21-5AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 1.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 1.5 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	377.27
6	6SE6420-2UD22-2BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 2.2 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 2.2 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	424.63
7	6SE6420-2UD23-0BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 3 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 3 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	480.96
8	6SE6420-2UD24-0BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 4 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 4 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	529.15
9	6SE6420-2UD25-5CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 5.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 5.5 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	672.87

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
10	6SE6420-2UD27-5CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 7.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 7.5 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	810.86
11	6SE6420-2UD31-1CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 11 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 11 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	1,045.22
12	6SE6420-2AD22-2BA1	MICROMASTER 420 ₁ WITH BUILT IN CLASS A FILTER ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 2.2 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 2.2 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	476.07
13	6SE6420-2AD23-0BA1	MICROMASTER 420 ₁ WITH BUILT IN CLASS A FILTER ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 3 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 3 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	538.14
14	6SE6420-2AD24-0BA1	MICROMASTER 420 ₁ WITH BUILT IN CLASS A FILTER ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 4 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 4 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	592.84

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
15	6SE6420-2AD27-5CA1	MICROMASTER 420 ₁ WITH BUILT IN CLASS A FILTER ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 7.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 7.5 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	906.41
16	6SE6420-2AD31-1CA1	MICROMASTER 420 ₁ WITH BUILT IN CLASS A FILTER ₁ 3AC 380-480V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 11 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 11 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	1,167.72
17	6SE6420-2UC13-7AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.37 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.37 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	180.36
18	6SE6420-2UC15-5AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.55 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.55 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	197.49
19	6SE6420-2UC17-5AA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 0.75 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 0.75 KW ₁ 173 X 73 X 149 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	216.44

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
20	6SE6420-2UC21-1BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 1.1 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 1.1 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	248.00
21	6SE6420-2UC21-5BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 1.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 1.5 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP.-10 TO +50 DEG C ₁ W/O AOP/BOP	283.16
22	6SE6420-2UC22-2BA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 2.2 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 2.2 KW ₁ 202 X 149 X 172 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	337.27
23	6SE6420-2UC23-0CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 1/3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 3 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 3 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	388.68
24	6SE6420-2UC24-0CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 4 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 4 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	442.79

NO STT	PART NUMBER MÃ SẢN PHẨM	DESCRIPTION MÔ TẢ ĐẶC TÍNH	LIST PRICE GIÁ (USD)
25	6SE6420-2UC25-5CA1	MICROMASTER 420 ₁ UNFILTERED ₁ 3AC 200-240V +10/-10% 47-63HZ ₁ CONSTANT TORQUE POWER 5.5 KW ₁ OVERLOAD 150% FOR 60S ₁ VARIABLE TORQUE POWER 5.5 KW ₁ 245 X 185 X 195 (H X W X D) ₁ PROTECTION IP20 ₁ AMBIENT TEMP -10 TO +50 DEG C ₁ W/O AOP/BOP	566.32
26	6SE6400-0BP00-0AA0	MICROMASTER 4 ₁ BASIC OPERATOR PANEL (BOP)	32.77
27	6SE6400-0AP00-0AA1	MICROMASTER 4 ₁ ADVANCED OPERATOR PANEL (AOP)	127.39
28	6SE6400-0EN00-0AA0	MICROMASTER 4 ₁ ENCODER OPTION MODULE ₁ TTL DIFFERENTIAL ₁ / HTL INCREMENTAL ₁ 300 KHZ MAX., 5 V OR 24 V, 3W ₁ ENCA, ENCB, ENCZ // ENC-REC	142.16
29	6SE6400-0PM00-0AA0	MICROMASTER 4 BOP/AOP SINGLE ₁ INVERTER DOOR MOUNTING KIT	85.29
30	6SE6400-1PB00-0AA0	MICROMASTER 4 ₁ PROFIBUS MODULE	113.54