




HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
----------	-----	---------	----------------	--------------

BẢNG GIÁ LOGO !

	1	LOGO!VARIANTS		-
	2	6ED1052-1CC00-0BA5	LOGO! 24, LOGIC MODULE, DISPLAY PU/I/O: 24V/24V/24V TRANS., 8 DI (2AI)/4 DO	118.01
	3	6ED1052-2CC00-0BA5	LOGO! 240, LOGIC MODULE, WITHOUT DISPLAY, PU/I/O: 24V/24V/24V TRANS., 8 DI (2AI)/4 DO	101.82
	4	6ED1052-1MD00-0BA5	LOGO! 12/24RC, LOGIC MOD., DISPL. PU/I/O: 12/24V DC/RELAY, 8 DI (2AI)/4 DO	133.06
	4	6ED1052-1MD00-0BA6	LOGO! 12/24RC, LOGIC MOD., DISPL. PU/I/O: 12/24V DC/RELAY, 8 DI (4AI)/4 DO	133.06
	5	6ED1052-2MD00-0BA5	LOGO! 12/24RCO, LOGIC MODULE PU/I/O: 12/24V DC/RELAY, 8 DI (2AI)/4 DO	106.44
	6	6ED1052-1HB00-0BA5	LOGO! 24RC, LOGIC MODULE, DISPLAY PU/I/O: 24V UC/24V UC/RELAY, 8 DI/4 DO	133.06
	7	6ED1052-2HB00-0BA5	LOGO! 24RCO (AC), LOGIC MODULE, PU/I/O: 24V UC/24V UC/RELAY, 8 DI/4 DO	106.44
	8	6ED1052-1FB00-0BA5	LOGO! 230RC, LOGIC MODULE, DISPL. PU/I/O: 230V/230V/RELAY, 8 DI/4 DO	136.53
	8	6ED1052-1FB00-0BA6	LOGO! 230RC, LOGIC MODULE, DISPL. PU/I/O: 230V/230V/RELAY, 8 DI/4 DO	136.53
	9	6ED1052-2FB00-0BA5	LOGO! 230RCO, LOGIC MODULE, PU/I/O: 230V/230V/RELAY, 8DI/4DO	108.76
	10	EXPANSION MODULES		-
	11	6ED1055-1CB00-0BA0	LOGO! DM8 24 EXPANSION MODULE, PU/I/O: 24V/24V/TRANS., 4 DI/4 DO P/N: 6ED1055-1CB00-0BA0	60.26
	12	6ED1055-1MB00-0BA1	LOGO! DM8 12/24R, EXP. MODULE PU/I/O: 12, 24V/12V/24V/RELAIS, 2TE, 4 DI/4 DO P/N: 6ED1055-1MB00-0BA1	65.46
	13	6ED1055-1HB00-0BA0	LOGO! DM8 24R EXPANSION MODULE, PU/I/O: 24V/24V/RELAY, 2TE 4 DI/4 DO, AC/DC/NPN INPUT P/N: 6ED1055-1HB00-0BA0	65.46
	14	6ED1055-1FB00-0BA1	LOGO! DM8 230R, EXP. MODULE, PU/I/O: 230V/230V/RELAIS, 2TE, 4 DI/4 DO P/N: 6ED1055-1FB00-0BA1	65.46
	15	6ED1055-1CB10-0BA0	LOGO! DM16 24, EXP. MODULE PU/I/O: 24V DC/24V DC/TRANS., 8 DI/8 DO, 4TE P/N: 6ED1055-1CB10-0BA0	97.67

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)	
	16	6ED1055-1NB10-0BA0	LOGO! DM16 24R, EXP. MODULE, PU/I/O: 24V DC/24V DC/RELAY, 8 DI/8 DO, 4TE P/N: 6ED1055-1NB10-0BA0	105.98	
	17	6ED1055-1FB10-0BA0	LOGO! DM16 230R, EXP. MODULE, PU/I/O: 230V/230V/RELAIS, 4TE, 8 DI/8 DO P/N: 6ED1055-1FB10-0BA0	105.98	
	18	6ED1055-1MA00-0BA0	LOGO! AM2 EXPANSION MODULE, PU: DC 12/24V, 2 AI, 0 - 10V OR 0 - 20MA P/N: 6ED1055-1MA00-0BA0	78.96	
	19	6ED1055-1MD00-0BA0	LOGO! AM2 PT100 EXPAN. MODULE, PU: DC 12/24V, 2AI, PT100 -50 ... +200 DEGR/C P/N: 6ED1055-1MD00-0BA0	95.59	
	20	6ED1055-1MM00-0BA0	LOGO! AM2 AQ EXPAN. MODULE, PU: DC 24V, 2AQ, 0-10V P/N: 6ED1055-1MM00-0BA0	113.25	
	21	OPTIONAL ACCESSORIES			-
	22	6ED1057-1AA00-0BA0	LOGO! PC CABLE, F. THE TRANSMISSION OF PROGRAMS FROM PC TO LOGO!	75.15	
23	6ED1057-1AA01-0BA0	LOGO! USB PC CABLE FOR PROGRAM TRANSMITTING FROM PC TO LOGO!	75.15		
BẢNG GIÁ S7-200					
	1	CPUS		-	
	2	6ES7211-0AA23-0XB0	SIMATIC S7-200, CPU 221 COMPACT UNIT, DC POWER SUPPLY 6 DI DC/4 DO DC	159.79	
	3	6ES7211-0BA23-0XB0	SIMATIC S7-200, CPU 221 COMPACT UNIT, AC POWER SUPPLY 6 DI DC/4 DO RELAY	170.66	
	4	6ES7212-1AB23-0XB0	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC	227.18	
	5	6ES7212-1BB23-0XB0	SIMATIC S7-200, CPU 222 COMPACT UNIT, AC POWER SUPPLY 8 DI DC/6 DO RELAY 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE P/N: 6ES7212-1BB23-0XB0	244.58	
	6	6ES7214-1AD23-0XB0	SIMATIC S7-200, CPU 224, COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 8/12 KB CODE/8 KB DATA, PROFIBUS DP EXTENDABLE P/N: 6ES7214-1AD23-0XB0	335.88	
	7	6ES7214-1BD23-0XB0	SIMATIC S7-200, CPU 224, COMPACT UNIT, AC POWER SUPPLY 14 DI DC/10 DO, RELAY, 8/12 KB CODE/8 KB DATA, PROFIBUS DP EXTENDABLE P/N: 6ES7214-1BD23-0XB0	353.28	
	8	6ES7214-2AD23-0XB0	SIMATIC S7-200, CPU 224XP COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 2 AI, 1 AO 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS P/N: 6ES7214-2AD23-0XB0	538.07	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	9	6ES7214-2BD23-0XB0	SIMATIC S7-200, CPU 224XP COMPACT UNIT, AC POWER SUPPLY 14DI DC/10DO RELAY, 2AI, 1AO, 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS P/N: 6ES7214-2BD23-0XB0	559.81
	10	6ES7216-2AD23-0XB0	SIMATIC S7-200, CPU 226 COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC, 16/24 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS P/N: 6ES7216-2AD23-0XB0	604.37
	11	6ES7216-2BD23-0XB0	SIMATIC S7-200, CPU 226 COMPACT UNIT, AC POWER SUPPLY 24 DI DC/16 DO RELAY, 16/24 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS P/N: 6ES7216-2BD23-0XB0	632.63
	12	EXPANSION MODULES		-
	13	DIGITAL AND ANALOG EXPANSIONS		-
	14	6ES7221-1BF22-0XA0	SIMATIC S7-200, DIGITAL INPUT EM 221, FOR S7-22X CPU ONLY, 8 DI, 24V DC, SINK/SOURCE INPUT P/N: 6ES7221-1BF22-0XA0	85.44
	15	6ES7221-1EF22-0XA0	SIMATIC S7-200, EM 221 DIGITAL INPUT MOD., OPTICALLY ISOLATED 8DI, 120/230V AC, P/N: 6ES7221-1EF22-0XA0	158.06
	16	6ES7221-1BH22-0XA0	SIMATIC S7-200, DIGITAL INPUT EM 221, FOR S7-22X CPU ONLY, 16DI, 24V DC, SINK/SOURCE INPUT P/N: 6ES7221-1BH22-0XA0	124.96
	17	6ES7222-1BF22-0XA0	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DQ, 24 V DC, P/N: 6ES7222-1BF22-0XA0	101.46
	18	6ES7222-1HF22-0XA0	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DO, (RELAY OUTPUTS) 2A P/N: 6ES7222-1HF22-0XA0	117.48
	19	6ES7222-1EF22-0XA0	SIMATIC S7-200, DIGITAL OUTPUT EM 222, OPTICALLY ISOLATED 8DQ, 120/230V AC, 0.5A P/N: 6ES7222-1EF22-0XA0	179.42
20	6ES7222-1BD22-0XA0	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 4DO, 4-24V DC; 5 A/POINT SOURCE P/N: 6ES7222-1BD22-0XA0	119.62	
21	6ES7222-1HD22-0XA0	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 4DO (RELAY); 10 A, 5 - 30V DCOR 5 - 250V AC P/N: 6ES7222-1HD22-0XA0	114.28	
22	6ES7223-1BF22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 4 DI / 4 DO, 24 V DC P/N: 6ES7223-1BF22-0XA0	103.60	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	23	6ES7223-1HF22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 4 DI / 4 DO RELAY, 5-30 V DC, 250 V AC P/N: 6ES7223-1HF22-0XA0	108.94
	24	6ES7223-1BH22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 8 DI DC 24 V, SINK/SOURCE, 8 DO DC 24V, 0.75A/POINT SOURCE P/N: 6ES7223-1BH22-0XA0	151.66
	25	6ES7223-1PH22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 8 DI 24 V DC, SINK/SOURCE, 8 DO RELAY, 2A/POINT P/N: 6ES7223-1PH22-0XA0	162.34
	26	6ES7223-1BL22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 16DI 24V DC, SINK/SOURCE, 16DO 24V DC, 0.75A/POINT,SOURCE P/N: 6ES7223-1BL22-0XA0	295.84
	27	6ES7223-1PL22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 16 DI 24 V DC, SINK/SOURCE 16 DO RELAY, 2A/POINT P/N: 6ES7223-1PL22-0XA0	319.33
	28	6ES7223-1BM22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 32DI 24V DC, SINK/SOURCE, 32DO 24V DC, 0.75A/POINT,SOURCE P/N: 6ES7223-1BM22-0XA0	507.30
	29	6ES7223-1PM22-0XA0	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 32 DI 24 V DC, SINK/SOURCE 32 DO RELAY, 2A/POINT P/N: 6ES7223-1PM22-0XA0	528.66
	30	6ES7231-0HC22-0XA0	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 4 AI, 0 - 10V DC, 12 BIT CONVERTER P/N: 6ES7231-0HC22-0XA0	190.10
	31	6ES7231-0HF22-0XA0	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 8 AI, 0-10V DC, MAX 2AE 0..20MA 12/11 BIT CONVERTER P/N: 6ES7231-0HF22-0XA0	267.00
	32	6ES7235-0KD22-0XA0	SIMATIC S7-200, ANALOG I/O EM 235, FOR S7-22X CPU ONLY, 4 AI, DC +/-10V; 1AQ, DC +/-10V 12 BIT CONVERTER P/N: 6ES7235-0KD22-0XA0	252.05
	33	6ES7232-0HB22-0XA0	SIMATIC S7-200, ANALOG OUTPUT EM 232, FOR S7-22X CPU ONLY, 2 AQ, +/- 10V DC, 12 BIT CONVERTER P/N: 6ES7232-0HB22-0XA0	207.19
	34	6ES7232-0HD22-0XA0	SIMATIC S7-200, ANALOG OUTPUT EM 232, FOR S7-22X CPU ONLY, 4 AQ, +/- 10V DC, 0..20MA 12/11 BIT CONVERTER P/N: 6ES7232-0HD22-0XA0	299.04
	35	SPECIFIC EXPANSIONS		-

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	36	6ES7231-7PB22-0XA0	SIMATIC S7-200, RTD INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 2AI, PT100/200/500/1000/10000 NI100/120/1000, CU10, RESISTANCE 150/300/600 OHM 15 BIT+ SIGN P/N: 6ES7231-7PB22-0XA0	258.46
	37	6ES7231-7PC22-0XA0	SIMATIC S7-200, RTD INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 4AI, PT100/200/500/1000/10000 NI100/120/1000, CU10, 14 GOST, RESISTANCE 150/300/600 OHM 15 BIT+ SIGN P/N: 6ES7231-7PC22-0XA0	405.84
	38	6ES7231-7PD22-0XA0	SIMATIC S7-200, T/C INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 4 AI, +/-80 MV AND THERMOCOUPLE TYPE J,K,S,T,R,E,N; 15BIT+VORZ. P/N: 6ES7231-7PD22-0XA0	258.46
	39	6ES7231-7PF22-0XA0	SIMATIC S7-200, T/C INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 8 AI, +/-80 MV AND THERMOCOUPLE TYPE J,K,S,T,R,E,N; 15BIT+VORZ. P/N: 6ES7231-7PF22-0XA0	405.84
	40	6ES7253-1AA22-0XA0	SIMATIC S7-200, EM 253 POSITIONING MODULE, 200 KHZ, FOR CONTROLLING STEPPER OR SERVO DRIVE, OPEN LOOP CONTROL, PROGRAMMING WITH MICRO/WIN P/N: 6ES7253-1AA22-0XA0	421.86
	42	COMMUNICATION		-
	43	6ES7277-0AA22-0XA0	SIMATIC S7-200, PROFIBUS DP SLAVE MODULE, 9.6KB TO 12MB, 1 PORT, PROFIBUS DP/MPI P/N: 6ES7277-0AA22-0XA0	236.03
	44	6GK7243-2AX01-0XA0	SIMATIC NET, CP 243-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-22X TO AN ASI-INTERFACE WITH MASTER PROFILE M0E/M1E ACC. EXTENDED ASI-SPECIFICATION V2.11 P/N: 6GK7243-2AX01-0XA0	293.70
	45	6ES7241-1AA22-0XA0	SIMATIC S7-200, MODEM MODULE ANALOG MODEM, FOR PPI PROTOCOL, MODBUS MASTER/SLAVE PROTOCOL, MESSAGING TO MOBILE OR PAGER, S7-200-TO-S7-200 COMMUNICATION, CALL BACK FUNCTION, PASSWORD P/N: 6ES7241-1AA22-0XA0	347.10
	46	6GK7243-1EX00-0XE0	SIMATIC NET, CP 243-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-22X TO INDUSTRIAL ETHERNET P/N: 6GK7243-1EX00-0XE0	631.02
47	6GK7243-1GX00-0XE0	SIMATIC NET, CP 243-1IT COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-22X TO INDUSTRIAL ETHERNET FTP CLIENT COMMUNICATION, HTTP SERVER, FTP SERVER 8 MB FLASH FILE SYSTEM E-MAIL CLIENT P/N: 6GK7243-1GX00-0XE0	873.72	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	48	6NH9720-3AA00	SINAUT MD720-3 GSM/GPRS MODEM; MOBILE RADIO MODEM WITH RS232 INTERFACE; FOR GSM SERVICES CSD, GPRS, SMS; QUADBAND GSM; AT COMMAND INTERFACE; NOTE NATIONAL APPROVALS! AUTOM. GPRS CONNECTION ESTABLISHMENT; INCL. GENDER CHANGER FOR RS232/PPI ADAPTER; MANUAL ON CD IN GERMAN AND ENGLISH PLEASE NOTE NATIONAL APPROVALS: WWW.SIEMENS.COM/SIMATIC-NET/IK-INFO APPROVED ANTENNA: ANT 794-4MR P/N: 6NH9720-3AA00	469.22
	49	HMI		-
	50	6ES7272-0AA30-0YA1	SIMATIC S7, TD 200 TEXTDISPLAY FOR S7-200, 2 LINES, WITH CABLE (2.5M) AND MOUNTING ACCESSORIES, CONFIGURATION WITH STEP7-MICRO/WIN W/O ATEX CERTIFICATE	256.32
	51	6AV6640-0BA11-0AX0	SIMATIC OPERATOR PANEL OP 73MICRO FOR SIMATIC S7-200 3" LC DISPLAY, BACKLIT WITH GRAPHICS CAPABILITY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6640-0BA11-0AX0	256.32
	52	6AV6640-0CA11-0AX1	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6640-0CA11-0AX0	427.20
	53	ACCESSORIES		-
	54	6ES7291-8BA20-0XA0	SIMATIC S7-200, BATTERY MODULE F. LONG-TERM BACKUP OF DATA PLUGGABLE IN MEMORY SUBMODULE SLOT OF S7-22X CPU P/N: 6ES7291-8BA20-0XA0	36.54
	55	6ES7291-8GF23-0XA0	SIMATIC S7, MEMORY MODULE MC 291, 64 KBYTES, FOR S7-22X CPU (FROM ..23-0XB0) STORAGE OF PLC PROGRAM, DATA LOGGING, RECIPE HANDLING P/N: 6ES7291-8GF23-0XA0	39.85
	56	6ES7291-8GH23-0XA0	SIMATIC S7, MEMORY MODULE MC 291, 256 KBYTES, FOR S7-22X CPU (FROM ..23-0XB0) STORAGE OF PLC PROGRAM, DATA LOGGING, RECIPE HANDLING P/N: 6ES7291-8GH23-0XA0	72.16
	57	6ES7297-1AA20-0XA0	SIMATIC S7, COMBINED BATTERY A. CLOCK MOD. PLUGGABLE IN MEMORY SUBMODULE SLOT OF S7-221/222 CPU UP TO ... 22-0XB0 P/N: 6ES7297-1AA20-0XA0	54.08

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	58	6ES7297-1AA23-0XA0	SIMATIC S7, COMBINED BATTERY A. CLOCK MOD. PLUGGABLE IN MEMORY SUBMODULE SLOT OF S7-221/222 CPU FROM ... 23-0XB0 P/N: 6ES7297-1AA23-0XA0	45.07
	59	6ES7290-6AA20-0XA0	SIMATIC S7-200, EXPANSION CABLE FOR EM OF THE 22X CPU 0.8 M P/N: 6ES7290-6AA20-0XA0	46.40
	60	6ES7901-3CB30-0XA0	SIMATIC S7-200, PC/PPI CABLE MM MULTIMASTER, FOR CONNECTING S7-200 TO SERIAL PORT OF PC, SUPPORTS FREEPORT AND GSM MODEMS P/N: 6ES7901-3CB30-0XA0	122.69
	61	6ES7901-3DB30-0XA0	SIMATIC S7-200,USB/PPI CABLE MM MULTIMASTER, FOR CONNECTING S7-200 TO USB PORT OF PC, FREEPORT NOT SUPPORTED P/N: 6ES7901-3DB30-0XA0	143.31
	62	6ES7901-0BF00-0AA0	SIMATIC S7, MPI CABLE FOR CONNECTING SIMATIC S7 AND PG VIA MPI 5M P/N: 6ES7901-0BF00-0AA0	28.97
	63	6ES7901-3EB10-0XA0	SIMATIC S7, CONNECTING CABLE FOR CONNECTING TD 100C OR TD 200C TO S7-200 P/N: 6ES7901-3EB10-0XA0	15.47
	64	6GK1551-2AA00	COMMUNICATION PROCESSOR CP 5512 PC CARD (CARDBUS, 32 BITS) FOR CONNECTION OF A PG OR NOTEBOOK TO PROFIBUS OR MPI SUCCESSOR CP 5711 P/N: 6GK1551-2AA00	1,092.15
	65	6GK1561-1AA01	CP 5611 A2 PCI-CARD (32 BIT; 3.3/5V; 33/ 66 MHZ) FOR CONN. TO PG OR PC WITH PCI-BUS TO PROFIBUS OR MPI (NO WIN9X-SUPPORT!) CP 5611 A2 SUCCESSOR FOR PCI-EXPRESS X1 (6GK1562-1AA00) RESTRICTION OF FUNCTION - SEE: WWW4.AD.SIEMENS.DE/VIEW/CS/DE/24943146 P/N: 6GK1561-1AA01	629.40
	66	6EP1332-1SH31	SITOP POWER 3.5, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/3.5 A S7-200 DESIGN P/N: 6EP1332-1SH31	164.08
	67	6ES72721BF007AA0	SIMATIC TD100C, BLANK FACEPLATE FOR PRINTING CUSTOMIZED KEYPAD FACEPLATE FOR A TD 100C, 6 PERFORATED FACEPLATES/SHEET; 10 SHEETS PER PACHAGING UNIT P/N: 6ES72721BF007AA0	42.72
	68	6ES7272-1AF00-7AA0	SIMATIC TD200C, BLANK FACEPLATE FOR PRINTING CUSTOMIZED KEYPAD FACEPLATE FOR A TD 200C, 3 PERFORATED FACEPLATES/SHEET; 10 SHEETS PER PACHAGING UNIT P/N: 6ES7272-1AF00-7AA0	42.72

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	69	SOFTWARE		-
	70	6ES7810-2CC03-0YX0	SIMATIC S7, STEP7-MICRO/WIN V4.0 SP4, SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, CLASS A, 6 LANG. (G,E,F,I,S,C), EXECUTABLE UNDER WIN2000/XP, REFERENCE-HW:SIMATIC S7-200 P/N: 6ES7810-2CC03-0YX0	325.01
	71	6ES7810-2CC03-0YX3	SIMATIC S7, STEP7-MICRO/WIN V4.0 SP4 UPGR., SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, CLASS A, 6 LANG. (G,E,F,I,S,C), EXECUTABLE UNDER WIN2000/XP, REFERENCE-HW:SIMATIC S7-200 P/N: 6ES7810-2CC03-0YX3	146.75
	72	6ES7830-2BC00-0YX0	SIMATIC STEP7-MICRO/WIN ADD ON: INSTRUCTION LIBRARY V1.1 (USS + MODBUS), FOR STEP7 MICRO/WIN V3.2 AND STEP7 MICRO/WIN V4.0, ON CD-ROM, INCL. ONLINE DOCUM. P/N: 6ES7830-2BC00-0YX0	107.61
	73	6AV6610-0AA01-2CA8	WINCC FLEXIBLE 2007 MICRO ENGINEERING SW, SINGLE LICENSE SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP, EXEC. UNDER WIN2000/XPPROF/XP HOME, FOR CONFIGURATION OF SIMATIC MICRO PANELS A NEW RELEASE IS AVAILABLE 6AV6610-0AA01-3CA8. FOR EXTENDING OF EXISTING PLANTS THE SELECTED VERSION IS STILL AVAILABLE. P/N: 6AV6610-0AA01-2CA8	107.61
	74	6ES7840-2CC01-0YX0	SIMATIC S7-200, PC ACCESS V1.0 SP1, OPC SERVER F. S7-200, SINGLE LICENSE F.1 INSTALLATION R-SW, SW AND DOCU. ON CD, 6 LANGUAGES (G,E,F,I,S,CH), EXECUTABLE UNDER WIN2000/XP, REFERENCE-HW:SIMATIC S7-200 P/N: 6ES7840-2CC01-0YX0	320.67
BẢNG GIÁ S7-300				
	1	COMPACT CPUS		-
	2	6ES7312-5BE03-0AB0	SIMATIC S7-300, CPU 312C COMPACT CPU WITH MPI, 10 DI/6 DO, 2 FAST COUNTERS (10 KHZ), INTEGRATED 24V DC POWER SUPPLY, 32 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7312-5BE03-0AB0	477.31
	3	6ES7313-5BF03-0AB0	SIMATIC S7-300, CPU 313C, COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO 1 PT100, 3 FAST COUNTERS (30 KHZ), INTEGRATED 24V DC POWER SUPPLY, 64KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7313-5BF03-0AB0	983.21

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
 <p>CPU 313C-2 DP</p>	4	6ES7313-6BF03-0AB0	SIMATIC S7-300, CPU 313C-2 PTP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7313-6BF03-0AB0	1,050.34
	5	6ES7313-6CF03-0AB0	SIMATIC S7-300, CPU 313C-2DP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7313-6CF03-0AB0	1,256.67
	6	6ES7314-6BG03-0AB0	SIMATIC S7-300, CPU 314C-2 PTP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 96 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7314-6BG03-0AB0	1,597.26
	7	6ES7314-6CG03-0AB0	SIMATIC S7-300, CPU 314C-2DP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 96 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED P/N: 6ES7314-6CG03-0AB0	1,807.32
	8	STANDARD CPUS		-
	9	6ES7312-1AE13-0AB0	SIMATIC S7-300, CPU 312 CPU WITH MPI INTERFACE, INTEGRATED 24 V DC POWER SUPPLY 32 KBYTE WORKING MEMORY, MICRO MEMORY CARD NECESSARY P/N: 6ES7312-1AE13-0AB0	369.17
	10	6ES7314-1AG13-0AB0	SIMATIC S7-300, CPU 314 CPU WITH MPI INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 96 KBYTE WORKING MEMORY, MICRO MEMORY CARD NECESSARY P/N: 6ES7314-1AG13-0AB0	657.55
	11	6ES7315-2AG10-0AB0	SIMATIC S7-300, CPU 315-2DP CPU WITH MPI INTERFACE INTEGRATED 24 V DC POWER SUPPLY 128 KBYTE WORKING MEMORY 2. INTERFACE DP-MASTER/SLAVE MICRO MEMORY CARD NECESSARY P/N: 6ES7315-2AG10-0AB0	1,645.73
	12	6ES7315-2EH13-0AB0	SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 256 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY P/N: 6ES7315-2EH13-0AB0	2,323.17
	13	6ES7317-2AJ10-0AB0	SIMATIC S7-300, CPU 317-2DP, CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY P/N: 6ES7317-2AJ10-0AB0	3,613.40

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	14	6ES7317-2EK13-0AB0	SIMATIC S7-300 CPU 317-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1 MB WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY P/N: 6ES7317-2EK13-0AB0	4,104.39
	15	6ES7318-3EL00-0AB0	SIMATIC S7-300 CPU 319-3 PN/DP, CENTRAL PROCESSING UNIT WITH 1,4 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, 3. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY P/N: 6ES7318-3EL00-0AB0	4,934.71
	16	6ES7318-2AJ00-0AB0	SIMATIC S7-300, CPU 318-2 DP 512 KBYTE USER MEMORY (256 KB CODE; 256 KB DATA 1ST INTERF. = MPI 12 MBIT/S; 2ND INTERF. = PROFIBUS DP ATTENTION! AVAILABLE AS A SPARE PART ONLY. P/N: 6ES7318-2AJ00-0AB0	11,392.15
	17	TECHNOLOGY CPUS		-
	18	6ES7315-6TG10-0AB0	SIMATIC S7-300, CPU 315T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 128 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN. 4MB NECESSARY NOTE SINAMICS FIRMWARE VERSIONS. FOR DETAILS SEE: HTTP://SUPPORT.AUTOMATION.SIEMENS.COM/WWW/VIEW/DE/23411204 P/N: 6ES7315-6TG10-0AB0	4,417.52
	19	6ES7317-6TJ10-0AB0	SIMATIC S7-300, CPU 317T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN. 4MB NECESSARY NOTE SINAMICS FIRMWARE VERSIONS. FOR DETAILS SEE: HTTP://SUPPORT.AUTOMATION.SIEMENS.COM/WWW/VIEW/DE/23411204 P/N: 6ES7317-6TJ10-0AB0	7,586.61
	20	FAIL-SAFE CPUS		-
	21	6ES7315-6FF01-0AB0	SIMATIC S7-300, CPU 315F CENTRAL UNIT FOR S7-300F, 192 KB WORKING MEM., 40MM WIDE, 384 BYTES PAE/384 BYTES PAA, 2 INTERFACES: 1 MPI UND 1 DP INTEGRATED 24V DC POWER SUPPLY, MICRO MEMORY CARD REQUIRED P/N: 6ES7315-6FF01-0AB0	2,194.38
	22	6ES7315-2FH13-0AB0	SIMATIC S7-300 CPU315F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 256 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY USEABLE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER P/N: 6ES7315-2FH13-0AB0	3,040.24

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	23	6ES7317-6FF03-0AB0	SIMATIC S7-300, CPU 317F-2DP, CENTRAL PROCESSING UNIT WITH 1024 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.2 SP1 AND HIGHER P/N: 6ES7317-6FF03-0AB0	4,657.90
	24	6ES7317-2FK13-0AB0	SIMATIC S7-300 CPU317F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1024 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER P/N: 6ES7317-2FK13-0AB0	5,100.77
	25	FEPROM		-
	26	6ES7951-0KD00-0AA0	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION, 5V FLASH EPROM, 16 KBYTES P/N: 6ES7951-0KD00-0AA0	145.93
	27	6ES7951-0KE00-0AA0	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION, 5V FLASH EPROM, 32 KBYTES P/N: 6ES7951-0KE00-0AA0	231.61
	28	6ES7951-0KF00-0AA0	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION, 5V FLASH EPROM, 64 KBYTES P/N: 6ES7951-0KF00-0AA0	306.93
	29	6ES7951-0KG00-0AA0	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION, 5V FLASH EPROM, 128 KBYTES P/N: 6ES7951-0KG00-0AA0	463.22
	30	6ES7951-0KJ00-0AA0	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION, 5V FLASH EPROM, 512 KBYTES P/N: 6ES7951-0KJ00-0AA0	670.35
	31	MMC FOR S7-300		-
	32	6ES7953-8LF20-0AA0	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200, 3.3 V NFLASH, 64 KBYTES P/N: 6ES7953-8LF20-0AA0	44.84
	33	6ES7953-8LG11-0AA0	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 128 KBYTES P/N: 6ES7953-8LG11-0AA0	89.69
	34	6ES7953-8LJ20-0AA0	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 512 KBYTES P/N: 6ES7953-8LJ20-0AA0	204.88

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	35	6ES7953-8LL20-0AA0	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 2 MBYTES P/N: 6ES7953-8LL20-0AA0	294.08
	36	6ES7953-8LM20-0AA0	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 4 MBYTES P/N: 6ES7953-8LM20-0AA0	358.14
	37	6ES7953-8LP20-0AA0	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 8 MBYTES P/N: 6ES7953-8LP20-0AA0	448.45
	38	SM 321 DIGITAL INPUT MODULES		-
	39	6ES7321-1BH02-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16DI, 24 V DC, 1 X 20 PIN P/N: 6ES7321-1BH02-0AA0	174.75
	40	6ES7321-1BH50-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 16DI, 24 V DC, SOURCE INPUT, 1 X 20 PIN P/N: 6ES7321-1BH50-0AA0	153.97
	41	6ES7321-1BL00-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 32DI, 24 V DC, 1 X 40 PIN P/N: 6ES7321-1BL00-0AA0	351.94
	42	6ES7321-1CH00-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16 DE, AC/DC 24 - 48V WITH ONE CHANNEL PER COMMON, 1 X 40 PIN P/N: 6ES7321-1CH00-0AA0	311.61
	43	6ES7321-1CH20-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16 DI, DC 48-125V, 1 X 20 PIN P/N: 6ES7321-1CH20-0AA0	342.16
	44	6ES7321-1BH10-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, GALVANICALLY ISOLATED, 16DI, 24 V DC, 1 X 20 PIN, 0.05 MS INPUT DELAY P/N: 6ES7321-1BH10-0AA0	218.74
45	6ES7321-1EL00-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 32 DI, 120V AC, 1 X 40 PIN P/N: 6ES7321-1EL00-0AA0	448.47	
46	6ES7321-1FF01-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 8 DI, 120V/230V AC, 1 X 20 PIN P/N: 6ES7321-1FF01-0AA0	135.64	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	47	6ES7321-1FF10-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 8 DI, 120V/230V AC, 1 X 40 PIN, WITH 1 POINT PER COMMON P/N: 6ES7321-1FF10-0AA0	199.19
	48	6ES7321-1FH00-0AA0	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 16 DI, 120/230V AC, 1 X 20 PIN P/N: 6ES7321-1FH00-0AA0	224.85
	49	6ES7321-7BH01-0AB0	SIMATIC S7-300, DIGITAL INPUT SM 321, GALVANICALLY ISOLATED, 16 DI, DC 24V, 1 X 20 PIN, PROCESS INTERRUPT, DIAGNOSTICS, FIT FOR ISOCHRON MODE P/N: 6ES7321-7BH01-0AB0	350.71
	50	SM 322 DIGITAL OUTPUT MODULES		-
	51	6ES7322-1BF01-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 24V DC, 2A, 1 X 20 PIN P/N: 6ES7322-1BF01-0AA0	196.74
	52	6ES7322-1BH01-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DO, 24V DC, 0.5A, 1 X 20 PIN SUM OF OUTPUT CURRENTS 4A/GROUP (8A/MODULE) P/N: 6ES7322-1BH01-0AA0	243.18
	53	6ES7322-1BH10-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322 HIGH SPEED, GALVANICALLY ISOLATED, 16 DO, 24V DC, 0.5A, 1 X 20 PIN P/N: 6ES7322-1BH10-0AA0	293.28
	54	6ES7322-1BL00-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 32DO, 24V DC, 0.5A, 1 X 40 PIN, SUM OF OUTPUT CURRENTS 4A/GROUP (16A/MODULE) P/N: 6ES7322-1BL00-0AA0	487.58
	55	6ES7322-8BF00-0AB0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 24V DC, 0.5 A (1 X 8 DO), SHORT-CIRCUIT PROTECTION, DIAGNOSTICS, 1 X 20 PIN P/N: 6ES7322-8BF00-0AB0	406.93
	56	6ES7322-5GH00-0AB0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DA (SOLID STATE RELAY), AC/DC 24 - 48V; 0.5A; 1.5A SURGE CURRENT, ONE CHANNEL PER COMMON, 1 X 40 PIN P/N: 6ES7322-5GH00-0AB0	560.90
57	6ES7322-1CF00-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, DC 48-125V, 1.5A, 1 X 20 PIN P/N: 6ES7322-1CF00-0AA0	376.38	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	58	6ES7322-1FF01-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 120/230V AC, 1A, 1 X 20 PIN P/N: 6ES7322-1FF01-0AA0	256.62
	59	6ES7322-5FF00-0AB0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 120/230V AC, 2A, WITH 1 POINT PER COMMON AND SELECTABLE FAIL MODE, 1 X 40 PIN P/N: 6ES7322-5FF00-0AB0	311.61
	60	6ES7322-1FH00-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 321, OPTICALLY ISOLATED 16 DO, 120/230V AC, 1 A, 1 X 20 PIN P/N: 6ES7322-1FH00-0AA0	371.49
	61	6ES7322-1FL00-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 32 DO, AC 120V/230V, 1A, DOUBLE WIDTH HOUSING, 2 X 20 PIN P/N: 6ES7322-1FL00-0AA0	742.98
	62	6ES7322-1HF01-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 20 PIN, 24V DC, 2A OR 230V AC, 2A P/N: 6ES7322-1HF01-0AA0	168.64
	63	6ES7322-1HF10-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 40 PIN, 24V DC, 5A OR 230V AC, 5A, CONNECTOR W. SPRING TERMINAL CAN BE USED FROM 6ES7392-1BM01-0AA0 P/N: 6ES7322-1HF10-0AA0	207.74
	64	6ES7322-5HF00-0AB0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 40 PIN, 24V DC, 120 - 230V AC, 5A WITH INTEGR. SNUBBER F. IND. LOADS P/N: 6ES7322-5HF00-0AB0	230.96
	65	6ES7322-1HH01-0AA0	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED 16DO, RELAY CONTACTS, 1 X 20 PIN P/N: 6ES7322-1HH01-0AA0	361.71
	66	SM 323 DIGITAL INPUT/OUTPUT		-
	67	6ES7323-1BH01-0AA0	SIMATIC S7-300, DIGITAL MODULE SM 323, OPTICALLY ISOLATED, 8 DI AND 8 DO, 24V DC, 0.5A AGGREGATE CURRENT 2A, 1X20 PIN P/N: 6ES7323-1BH01-0AA0	266.40
68	6ES7323-1BL00-0AA0	SIMATIC S7-300, DIGITAL MODULE SM 323, OPTICALLY ISOLATED, 16 DI AND 16 DO, 24V DC, 0.5A, AGGREGATE CURRENT 4A, 1X40 PIN P/N: 6ES7323-1BL00-0AA0	454.58	



HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	69	# 327 DIGITAL INPUT/OUTPUT		-
	70	6ES7327-1BH00-0AB0	SIMATIC S7-300, DIGITAL MODULE SM 327, OPTICALLY ISOLATED, 8 DI AND 8 DX, 24V DC, 0.5A 1 X 20 PIN, 8DX CHANNELWISE PROGRAMMABLE AS DI OR DO P/N: 6ES7327-1BH00-0AB0	305.50
	71	SM 331 ANALOG INPUT MODULES		-
	72	6ES7331-1KF01-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AI, 13 BIT RESOLUTION, U/I/RESISTANCE/PT100, NI100, NI1000, LG-NI1000, 66 MS MODULE UPDATE, 1 X 40 PIN P/N: 6ES7331-1KF01-0AB0	460.69
	73	6ES7331-7KF02-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8AI, RESOLUTION 9/12/14 BITS, U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS; 1X20PIN REMOVE/INSERT W. BACKPLANE BUS P/N: 6ES7331-7KF02-0AB0	673.32
	74	6ES7331-7KB02-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 2 AI, 9/12/14 BITS RESOLUTION, U/I/THERMOCOUPLE/RESISTANCE, INTERRUPT, DIAGNOSTICS, 1 X 20 PIN, REMOVE/INSERT W. BACKPLANE BUS P/N: 6ES7331-7KB02-0AB0	210.18
	75	6ES7331-7NF00-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AE; +/-5/10V, 1-5 V, +/-20MA, 0/4 TO 20MA, 16 BIT (55 MS), 1 COMMON POINT(50 V COM.), 1 X 40 PIN P/N: 6ES7331-7NF00-0AB0	630.55
	76	6ES7331-7NF10-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AE; +/-5/10V, 1-5 V, +/-20MA, 0/4 TO 20MA, 16 BIT, 1 COMMON POINT(60 V COM.), 4 CHANNEL MODE: 10 MS, 8 CHANNEL MODE: 23-95 MS, 1 X 40 PIN P/N: 6ES7331-7NF10-0AB0	804.08
	77	6ES7331-7HF01-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, GALVANICALLY ISOLATED, 8 AI, 14 BIT, 0.052MS/CHANNEL, CURRENT, VOLTAGE, INTERRUPTS, DIAGNOSTICS, 1 X 20 PIN, FIT FOR ISOCHRON MODE IMPROVED DP-CYCLE TIME FOR ISOCHRON MODE P/N: 6ES7331-7HF01-0AB0	735.64
	78	6ES7331-7PF01-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPT. ISOL., 2/3/4 WIRE, 8AI, RESISTANCE, PT100/200/1000 NI100/120/200/500/1000, CU10, PLUS CHARACTERISTICS ACCORDING TO GOST STANDARD 16 (INTERN 24) BIT, 50MS, 1 X 40 PIN P/N: 6ES7331-7PF01-0AB0	804.08
79	6ES7331-7PF11-0AB0	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AI THERMOCOUPLE, TYPE B, E, J, K, L, N, R, S, T TXK/TXK(L) ACCORDING GOST 16 BIT, 50 MS, 1 X 40 PIN P/N: 6ES7331-7PF11-0AB0	804.08	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	80	6ES7974-0AA00-0AA0	SIMATIC S7, MEAS. RANGE MODULES FOR ANALOG INPUTS, 2 PIECES PER PACKAGING UNIT P/N: 6ES7974-0AA00-0AA0	21.69
	81	SM 332 ANALOG OUTPUT MODULES		-
	82	6ES7332-5HD01-0AB0	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 4 AO, U/I; DIAGNOSTICS; RESOLUTION 11/12 BITS, 20 PIN, REMOVE/INSERT W. ACTIVE, BACKPLANE BUS P/N: 6ES7332-5HD01-0AB0	560.90
	83	6ES7332-7ND02-0AB0	SIMATIC S7, SM 332 ANALOG OUTPUT CHANNEL TO CHANNEL ISOLATION, 4 AO, 16 BIT RESOLUTION, 0-10V, 1-5V, +/-10V, +/-20MA, 0/4 - 20MA, 20 PIN, FIT FOR ISOCHROME MODE IMPROVED DP-CYCLE TIME FOR ISOCHROME MODE P/N: 6ES7332-7ND02-0AB0	694.10
	84	6ES7332-5HB01-0AB0	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 2 AO, U/I; 11/12 BITS RESOL., 20 PIN., REMOVE/INSERT WITH ACTIVE BACKPLANE BUS P/N: 6ES7332-5HB01-0AB0	350.71
	85	6ES7332-5HF00-0AB0	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 8 AO, U/I; DIAGNOSTICS; RESOLUTION 11/12 BITS, 40 PIN., REMOVE/INSERT W. ACTIVE, BACKPLANE BUS P/N: 6ES7332-5HF00-0AB0	1,047.25
	86	SM 334 ANALOG INPUT/OUTPUT MODULES		-
	87	6ES7334-0CE01-0AA0	SIMATIC S7, ANALOG INPUT/OUTPUT SM 334, NON-ISOLATED, 4 AI/2 AO, 1 X 20 PIN, REMOVE AND INSERT WITH BACKPLAIN BUS P/N: 6ES7334-0CE01-0AA0	413.04
	88	6ES7334-0KE00-0AB0	SIMATIC S7-300, ANALOG MODULE SM 334, OPTICALLY ISOLATED, 4AE/2AA, 12 BIT, 0-10V F. PT100 (CLIMAT RANGE -120 - 155 DEGR.) AND 10 KOHM MEASURING RANGE, 1 X 20 PIN P/N: 6ES7334-0KE00-0AB0	413.04
	89	6ES7335-7HG00-6AA0	INTERFERENCE SUPPRESSOR FILTER FOR SM335 P/N: 6ES7335-7HG00-6AA0	64.97
90	6ES7350-1AH03-0AE0	SIMATIC S7-300, COUNTER MODULE FM 350-1 FOR S7-300, COUNTER FUNCTIONS UP TO 500 KHZ 1 CHANNEL FOR CONNECTION OF 5V AND 24V INCREMENTAL ENCODERS ISOCHRON MODE, MEASUREMENT MODE INCL. CONFIG. PACKAGE ON CD P/N: 6ES7350-1AH03-0AE0	447.25	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	91	6ES7350-2AH01-0AE0	SIMATIC S7-300, COUNTER MODULE FM 350-2, 8 CHANNELS, 20 KHZ, 24V ENCODER FOR COUNTING, MEASURING FREQUENCIES, SPEED MEASUREMENT, PERIOD DURATION MEASUREMENT AND PROPORTIONING INCL. CONFIG. PACKAGE AND ELECTRONIC DOCUMENT ON CD AVAILABLE AS A SPARE PART ONLY REFERENCE DOCUMENT TYPE: 6ES7350-2AH01-0AE0	1,030.15
	92	6ES7351-1AH01-0AE0	SIMATIC S7-300, FM 351 POSITIONING MODULE FOR RAPID/ CREEP FEED DRIVE INCL. CONFIG. PACKAGE ON CD P/N: 6ES7351-1AH01-0AE0	802.85
	93	6ES7352-1AH02-0AE0	SIMATIC S7-300, FM 352 ELECTRON. CAM-OPERATED CONTROL INCL. CONFIG. PACKAGE ON CD P/N: 6ES7352-1AH02-0AE0	846.24
	94	FM 352-5 HIGH-SPEED BOOLEAN PROCESSOR		-
	95	6ES7352-5AH00-0AE0	SIMATIC S7-300, FM352-5 HIGH SPEED BOOLEAN PROCESSOR, FOR HIGH-SPEED LOGIC OPERATION 12 DI, 8 DO, 1 ENCODER INTERF. FOR RS422 INCR./SSI ENCODER P/N: 6ES7352-5AH00-0AE0	1,080.61
	96	6ES7352-5AH10-0AE0	SIMATIC S7-300, FM352-5 WITH SRC OUT, HIGH SPEED BOOLEAN PROCESSOR, FOR HIGH-SPEED LOGIC OPERATION 12 DI, 8 DO, 1 ENCODER INTERF. FOR RS422 INCR./SSI ENCODER P/N: 6ES7352-5AH10-0AE0	1,181.67
	97	6ES7355-0VH10-0AE0	SIMATIC S7-300, CONTROL MODULE FM 355 C, 4 CHANNELS, CONTIN. 4 AI + 8 DI + 4 AO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/FR/IT) ON CD-ROM P/N: 6ES7355-0VH10-0AE0	1,097.36
	98	6ES7355-1VH10-0AE0	SIMATIC S7-300, CONTROL MODULE FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI + 8 DI + 8 DO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/FR/IT) ON CD-ROM P/N: 6ES7355-1VH10-0AE0	949.49
	99	6ES7355-2CH00-0AE0	SIMATIC S7-300, TEMPERATURE CONTROL MODULE FM 355-2 C, 4 CHANNELS, CONTIN. 4 AI + 8 DI + 4 AO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/IT) ON CD-ROM P/N: 6ES7355-2CH00-0AE0	1,013.04
	100	6ES7355-2SH00-0AE0	SIMATIC S7-300, TEMPERATURE CONTROL MODULE FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI + 8 DI + 8 DO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/IT) ON CD-ROM P/N: 6ES7355-2SH00-0AE0	877.40
101	6ES7338-4BC01-0AB0	SIMATIC S7-300, SIGNAL. MODULE FOR 3 SSI SENSORS FOR READ-IN OF POSITIONING VALUE WITH 2 FREEZE INPUTS , 1 X 20 PIN, SUPPORTS ISOCHRONOUS MODE P/N: 6ES7338-4BC01-0AB0	329.94	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	102	6ES7174-0AA00-0AA0	SIMATIC S7-300,INTERFACE MODULE IM174, FOR CONNECTING ANALOG DRIVES AND STEP DRIVES VIA ISOCHRONUS PROFIBUS TO MOTION CONTROLLERS 4 CHANNELS (4 ENCOD.INP., 4 AO) CONFIGURABLE WITH S7-TECHNOLOGY V3.0SP1 OR HIGHER P/N: 6ES7174-0AA00-0AA0	910.39
	103	SIWAREX U FOR SIMATIC S7 AND ET 200M		-
	104	6ES7340-1AH02-0AE0	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24) INCL. CONFIG. PACKAGE ON CD P/N: 6ES7340-1AH02-0AE0	447.25
	105	6ES7341-1AH01-0AE0	SIMATIC S7-300, CP 341 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24) INCL. CONFIG. PACKAGE ON CD PLEASE NOTE! AVAILABLE AS A SPARE PART ONLY. REPLACEMENT TYPE: 6ES7341-1AH02-0AE0 P/N: 6ES7341-1AH01-0AE0	899.39
	106	6GK7342-5DA02-0XE0	SIMATIC NET, CP 342-5 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION P/N: 6GK7342-5DA02-0XE0	1,175.07
	107	6GK7342-5DF00-0XE0	SIMATIC NET, CP 342-5 FO COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION P/N: 6GK7342-5DF00-0XE0	1,464.58
	108	6GK7343-5FA01-0XE0	SIMATIC NET, CP 343-5 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, FMS, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION 12 MBAUD, SINGLE-WIDTH P/N: 6GK7343-5FA01-0XE0	1,532.70
	109	6GK7343-1CX10-0XE0	SIMATIC NET, CP 343-1 LEAN COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA TCP/IP AND UDP, MULTICAST, SEND/RECEIVE W. AND W/O RFC1006, FETCH/ WRITE, S7-COMMUNICATION(SERVER) PROFINET IO-DEVICE INTEGRATED 2-PORT SWITCH ERTEC 200, BG EXCHANGE W/O PG, SNMP DIAGNOSTICS, INITIALIZ. VIA LAN, 2 X RJ45 CONNECT. FOR LAN WITH 10/100 MBIT/S P/N: 6GK7343-1CX10-0XE0	1,147.62
	110	6GK7343-1EX30-0XE0	SIMATIC NET, CP 343-1 COMMUNIKATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA ISO AND TCP/IP, PROFINET IO-CONTROLLER OR PROFINET IO-DEVICE, INTEGR. 2-PORT SWITCH ERTEC200 S7-COMM., FETCH/WRITE, SEND/RCV W. AND W/O RFC1006,MULTICAST DHCP, NTC-CPU SYNC, DIAGNOSTIC, INITIALIZATION VIA LAN, 2 X RJ45 CONNECT. FOR LAN WITH 10/100 MBIT/S P/N: 6GK7343-1EX30-0XE0	2,017.59

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	111	6GK7343-1GX21-0XE0	SIMATIC NET, CP 343-1 ADVANCED COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA PROFINET-IO CONTROLLER, PROFINET CBA,ISO, TCP/IP AND UDP, S7-KOMM., FETCH/WRITE, SEND/RECEIVE, WITH AND W/O RFC1006, HTTP W JAVA, MULTICAST, LOAD. COMM. BLOCKS, HTML DIAGN.,FTP CLIENT/SERVER E-MAIL, SNMP, DHCP, NTP-CPU SYNC, 10/100 MBIT, ONLY RJ45 PORT PRODUCT CANCELLATION! REPLACEMENT TYPE 6GK7343-1GX30-0XE0 P/N: 6GK7343-1GX21-0XE0	3,776.04
	112	6ES7360-3AA01-0AA0	SIMATIC S7-300,INTERFACE MODULE IM 360 IN CENTRAL RACK FOR CONNECTING MAX. 3 EXPANSION RACKS, WITH K-BUS P/N: 6ES7360-3AA01-0AA0	205.66
	113	6ES7361-3CA01-0AA0	SIMATIC S7-300,INTERFACE MODULE IM 361 IN EXPANSION RACK FOR CONNECTING TO CENTRAL RACK (IM360),24 V DC SUPPLY VOLTAGE, WITH K-BUS P/N: 6ES7361-3CA01-0AA0	235.85
	114	6ES7365-0BA01-0AA0	SIMATIC S7-300,INTERFACE MODULE IM 365 FOR CONNECTING AN EXPANSION RACK, W/O K-BUS, 2 MODULES + CONNECTING CABLE 1M P/N: 6ES7365-0BA01-0AA0	144.56
	115	FRONTCONNECTOR		-
	116	6ES7392-1AJ00-0AA0	SIMATIC S7-300, FRONT CONNECTOR FOR SIGNAL MODULES WITH SCREW CONTACTS, 20-PIN P/N: 6ES7392-1AJ00-0AA0	26.33
	117	6ES7392-1AM00-0AA0	SIMATIC S7-300,FRONT CONNECTOR 392 WITH SCREW CONTACTS, 40-PIN P/N: 6ES7392-1AM00-0AA0	41.38
	118	BACKUP BATTERY		-
	119	6ES7971-1AA00-0AA0	SIMATIC S7, BACKUP BATTERY (LI) 3.6V/MIN. 0.85AH, FOR FOR S7-300 CPUS AND S5-90U P/N: 6ES7971-1AA00-0AA0	16.72
	120	POWER SUPPLY PS307		-
	121	6ES7307-1BA00-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/2 A P/N: 6ES7307-1BA00-0AA0	143.57

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)	
	122	6ES7307-1EA00-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A P/N: 6ES7307-1EA00-0AA0	190.45	
	123	6ES7307-1KA01-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A P/N: 6ES7307-1KA01-0AA0	246.12	
	124	DINRAIL		-	
	125	6ES7390-1AB60-0AA0	SIMATIC S7-300, RAIL L=160MM P/N: 6ES7390-1AB60-0AA0	21.51	
	126	6ES7390-1AE80-0AA0	SIMATIC S7-300, RAIL L=480MM P/N: 6ES7390-1AE80-0AA0	33.48	
	127	6ES7390-1AF30-0AA0	SIMATIC S7-300, RAIL L=530MM P/N: 6ES7390-1AF30-0AA0	40.25	
	128	6ES7390-1AJ30-0AA0	SIMATIC S7-300, RAIL L=830MM P/N: 6ES7390-1AJ30-0AA0	53.80	
	129	6ES7390-1BC00-0AA0	SIMATIC S7-300, RAIL L=2000MM P/N: 6ES7390-1BC00-0AA0	90.16	
	130	PC/MPI CABLE		-	
	 Fig. 1-1: Configuration with PC Adapter USB	131	6ES7972-0CA23-0XA0	SIMATIC S7, PC ADAPTER V5.1 FOR CONNECTION OF S7-300/400, C7, M7; FOR CONVERSION OF RS232 TO RS485; W/O RS232 CABLE P/N: 6ES7972-0CA23-0XA0	600.10
		132	6ES7972-0CB20-0XA0	SIMATIC S7, PC ADAPTER USB F. CONNECTION OF S7-200/300/400 C7; WITH USB-CABLE (5M) CAN BE USED UNDER WIN 2000/XP P/N: 6ES7972-0CB20-0XA0	413.10
	133	STEP7		-	

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
 <p>SIMATIC NET PROFIBUS (S7 functions) - CP 5613 A2 6GK1 561-3AA01 S7-5613 (Kommunikationssoftware) 6GK1 713-5CB64-3AA0</p>	134	6ES7810-4CC08-0YE5	SIMATIC S7, STEP7 V5.4, UPGRADE, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON DVD, LICENSE KEY ON USB STICK, CLASS A, 5 LANGUAGES (GE,EN,FR,IT,SP), EXECUTABLE UNDER WINXPPROF, WIN VISTA ULTIMATE, WIN VISTA BUSINESS REFERENCE-HW: S7-300/400, C7 P/N: 6ES7810-4CC08-0YE5	479.35
	135	6ES7810-3CC07-0YA5	SIMATIC S7, STEP7 LITE V3.0 FLOATING LICENSE F.1 USER E-SW, SW AND DOCU. ON CD, LICENSE KEY ON FD, CLASS A, 5 LANGUAGES (G,E,F,I,S), EXECUTABLE UNDER WINXPHOME/2000PROF/XPPROF, REFERENCE-HW:SIMATIC S7-300, C7 ET200S (IM151 CPU/ IM151 CPU), ET200X (BM147/CPU) P/N: 6ES7810-3CC07-0YA5	58.60
	136	6ES7810-4CC08-0YA5	SIMATIC S7, STEP7 V5.4, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON DVD, LICENSE KEY ON USB STICK, CLASS A, 5 LANGUAGES (GE,EN,FR,IT,SP), EXECUTABLE UNDER WINXPPROF, WIN VISTA ULTIMATE, WIN VISTA BUSINESS REFERENCE-HW: S7-300/400, C7 P/N: 6ES7810-4CC08-0YA5	1,911.53
	137	6ES7810-5CC10-0YE5	SIMATIC S7, STEP7 PROF ED2006 UPGRADE, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON DVD, LICENSE KEY ON USB STICK, CLASS A, 5 LANGUAGES (GE,EN,FR,IT,SP), EXECUTABLE UNDER WINXPPROF, WIN VISTA ULTIMATE, WIN VISTA BUSINESS REFERENCE-HW: S7-300/400, C7 P/N: 6ES7810-5CC10-0YE5	761.80
	138	6ES7810-5CC10-0YC5	SIMATIC S7, STEP7 PROF ED2006 POWERPACK (CHANGEVER PACKAGE) FROM STEP7 V3.X ... V.5.4 TO STEP7 PROF ED2006, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON DVD, LICENSE KEY ON USB STICK, CLASS A, 5 LANGUAGES (GE,EN,FR,IT,SP), EXECUTABLE UNDER WINXPPROF, WIN VISTA ULTIMATE, WIN VISTA BUSINESS REFERENCE-HW: S7-300/400, C7 P/N: 6ES7810-5CC10-0YC5	1,230.60
	139	6ES7810-5CC10-0YA5	SIMATIC S7, STEP7 PROF ED2006, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON DVD, LICENSE KEY ON USB STICK, CLASS A, 5 LANGUAGES (GE,EN,FR,IT,SP), EXECUTABLE UNDER WINXPPROF, WIN VISTA ULTIMATE, WIN VISTA BUSINESS REFERENCE-HW: S7-300/400, C7 P/N: 6ES7810-5CC10-0YA5	2,930.00
	140	SCADA		-

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	141	6GK1561-3AA01	<p>CP 5613A2, PCI CARD (32 BIT; 3.3/5 V; 33/66 MHZ); F. CONNECTION TO PROFIBUS; INCL.DP-BASE SW, NCM PC: DP RAM INTERF.F.DP MASTER INCL. PG AND FDL PROTOCOL, SINGLE LICENSE F.1 INSTALLATION,R-SW, CLASS A;SW+ELECTR. MANUAL ON CD 2 LANG. (GER, EN); FOR 32 BITS WINDOWS XP PRO, WIN 2003 STANDARD SERVER, WIN VISTA BUSINESS/ULTIMATE</p> <p>FOR WINDOWS NT4.0 SEE 6GK1561-3AA00 P/N: 6GK1561-3AA01</p>	1,174.67
	142	6GK1561-4AA01	<p>CP 5614A2, PCI CARD (32 BIT; 3.3/5 V; 33/66 MHZ); W. MASTER AND SLAVE CON. TO PB; INCL.DP-BASE SW, NCM PC: DP RAM INTERF.F.DP MASTER INCL. PG AND FDL PROTOCOL, SINGLE LICENSE F.1 INSTALLATION,R-SW, CLASS A;SW+ELECTR. MANUAL ON CD 2 LANG. (GER, EN); FOR 32 BITS WINDOWS XP PRO, WIN 2003 STANDARD SERVER, WIN VISTA BUSINESS/ULTIMATE</p> <p>FOR WINDOWS NT4.0 SEE 6GK1561-4AA00 P/N: 6GK1561-4AA01</p>	1,812.16
	143	6GK1551-2AA00	<p>COMMUNICATION PROCESSOR CP 5512 PC CARD (CARDBUS, 32 BITS) FOR CONNECTION OF A PG OR NOTEBOOK TO PROFIBUS OR MPI</p> <p>SUCCESSOR CP 5711 P/N: 6GK1551-2AA00</p>	1,092.15
	144	6ES7972-0BA12-0XA0	<p>SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, 15,8 X 64 X 35,6 MM (WXHxD), TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITHOUT PG SOCKET</p> <p>P/N: 6ES7972-0BA12-0XA0</p>	48.87
	145	6ES7972-0BB12-0XA0	<p>SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, 15,8 X 64 X 35,6 MM (WXHxD), TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET</p> <p>P/N: 6ES7972-0BB12-0XA0</p>	65.16
	146	6ES7972-0BA30-0XA0	<p>SIMATIC DP, BUS CONNECTOR FOR PROFIBUS, WITH TILTED OUTGOING CABLE,INSUL.PIERCING CONN.DEV., 15 X 57,6 X 39,5 MM (WXHxD), MAX.1.5 MBAUD,W/O LAN TERMINAT. RESIST. A.PG CONNECTION SOCKET</p> <p>P/N: 6ES7972-0BA30-0XA0</p>	28.53
	147	6ES7972-0BA41-0XA0	<p>SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE, 15,8 X 54 X 39,5 MM (WXHxD), TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITHOUT PG SOCKET</p> <p>P/N: 6ES7972-0BA41-0XA0</p>	48.87
	148	6ES7972-0BB41-0XA0	<p>SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE, 15,8 X 54 X 39,5 MM (WXHxD), TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET</p> <p>P/N: 6ES7972-0BB41-0XA0</p>	65.16



HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	149	6ES7971-0BA00	SIMATIC S7-400, BACK-UP BATTERY 3.6 V/2.3 AH FOR PS 405 4A/10A/20A AND PS 407 4A/10A/20A P/N: 6ES7971-0BA00	14.44
	150	6EW1000-7AA	SIMATIC S5, BACKUP BATTERY LITHIUM SNR. 11111, SIZE C, 3.6V/5.2AH FOR S5-110S, -115U, -135U, -150U ATTENTION! HAZARDOUS GOODS ATTENTION! PRODUCT IS DESIGNATED AS HAZARDOUS AND IS SUBJECT TO SPECIAL SHIPPING REGULATIONS. ADD. INFO AT A&D EC P/N: 6EW1000-7AA	50.85
	151	W79084E1001B2	SIMATIC, SPARE PART LITHIUM BATTERY 3.6V FOR PG 7XX TD17, OP17, OP25, OP27, OP35, OP37, TP27, TP37, OP/TP270, MP270, MP270B, MP370 P/N: W79084E1001B2	22.34
	152	6ES7153-1AA03-0XB0	SIMATIC DP, INTERFACE IM 153-1, FOR ET 200M, FOR MAX. 8 S7-300 MODULES P/N: 6ES7153-1AA03-0XB0	341.73
BỘ NGUỒN SITOP				
	1	SITOP power 24 V, one-phase and two-phase power supplies		-
	2	6EP1331-2BA10	SITOP POWER 0.5 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/0.5 A P/N: 6EP1331-2BA10	63.00
	3	6EP1731-2BA00	SITOP POWER 0.375 A, DC/DC STABILIZED POWER SUPPLY INPUT: 48-220 V DC OUTPUT: 24 V DC/0.375 A P/N: 6EP1731-2BA00	93.76
	4	6EP1331-2BA10	SITOP POWER 0.5 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/0.5 A P/N: 6EP1331-2BA10	63.00
	5	6ES7307-1BA00-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/2 A P/N: 6ES7307-1BA00-0AA0	143.57
	6	6ES7305-1BA80-0AA0	SIMATIC S7-300 OUTDOOR STABILIZED POWER SUPPLY PS305 INPUT: 24-110 V DC OUTPUT: 24 V DC/2 A P/N: 6ES7305-1BA80-0AA0	320.84
	7	6EP1732-0AA00	SITOP POWER 2, DC/DC STABILIZED POWER SUPPLY INPUT: 48/60/110 V DC OUTPUT: 24 V DC/2 A P/N: 6EP1732-0AA00	276.89

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	8	6EP1332-1SH12	SITOP POWER 2.5, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120-230 V AC (110-350 V DC) OUTPUT: 24 V DC/2.5 A P/N: 6EP1332-1SH12	177.27
	8	6EP1332-2BA10	SITOP SMART 60 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/2.5 A P/N: 6EP1332-2BA10	127.46
	9	6EP1332-1SH31	SITOP POWER 3.5, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/3.5 A S7-200 DESIGN P/N: 6EP1332-1SH31	164.08
	10	6EP1332-1SH22	SITOP POWER 4, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC (110-350 V DC) OUTPUT: 24 V DC/4 A P/N: 6EP1332-1SH22	230.01
	11	6EP1333-3BA00	SITOP MODULAR 5 STABILIZED POWER SUPPLY INPUT: 120/230-500 V AC OUTPUT: 24 V DC/5 A P/N: 6EP1333-3BA00	190.45
	12	6EP1333-2BA01	SITOP SMART 120 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A PFC VERSION P/N: 6EP1333-2BA01	171.41
	13	6EP1333-2AA01	SITOP SMART 120 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A P/N: 6EP1333-2AA01	152.36
	14	6ES7307-1EA00-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A P/N: 6ES7307-1EA00-0AA0	190.45
	15	6ES7307-1EA80-0AA0	SIMATIC S7-300 OUTDOOR STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A P/N: 6ES7307-1EA80-0AA0	219.75
	16	6EP1333-1AL12	SITOP POWER 5, SPECIAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A P/N: 6EP1333-1AL12	205.10
	17	6EP1334-3BA00	SITOP MODULAR 10 STABILIZED POWER SUPPLY INPUT: 120/230-500 V AC OUTPUT: 24 V DC/10 A P/N: 6EP1334-3BA00	249.05
	18	6EP1334-2BA01	SITOP SMART 240 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A PFC VERSION P/N: 6EP1334-2BA01	224.15
	19	6EP1334-2AA01	SITOP SMART 240 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A P/N: 6EP1334-2AA01	212.43


HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	20	6EP1334-2CA00	SITOP POWER 10 FOR ET200X STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A DEGREE OF PROTECTION IP65, DESIGN ET200X P/N: 6EP1334-2CA00	438.04
	21	6ES7307-1KA01-0AA0	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A P/N: 6ES7307-1KA01-0AA0	246.12
	22	6EP1334-1AL12	SITOP POWER 10, SPECIAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A P/N: 6EP1334-1AL12	266.63
	23	6EP1334-1SH01	SITOP POWER 10, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC (110-350 V DC) OUTPUT: 24 V DC/10 A S7-300 DESIGN P/N: 6EP1334-1SH01	436.57
	24	6EP1336-3BA00	SITOP MODULAR 20 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/20 A P/N: 6EP1336-3BA00	326.70
	25	6EP1336-2BA00	SITOP POWER 20 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/20 A P/N: 6EP1336-2BA00	332.56
	26	6EP1536-2AA00	SITOP POWER 20 STABILIZED POWER SUPPLY INPUT: 500-620 V 3AC RANGE: 420-682 V 3AC OUTPUT: 24 V DC/20 A P/N: 6EP1536-2AA00	719.32
	27	6EP1337-3BA00	SITOP MODULAR 40 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/40 A P/N: 6EP1337-3BA00	509.82
	28	SITOP power 24 V, three-phase power supplies		-
	29	6EP1434-2BA00	SITOP POWER 10 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/10 A P/N: 6EP1434-2BA00	265.17
	30	6EP1436-3BA00	SITOP MODULAR 20 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A P/N: 6EP1436-3BA00	287.14
	31	6EP1436-2BA00	SITOP POWER 20 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A P/N: 6EP1436-2BA00	290.07
	32	6EP1437-2BA00	SITOP POWER 30 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/30 A P/N: 6EP1437-2BA00	411.67

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	33	6EP1437-3BA00	SITOP MODULAR 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A P/N: 6EP1437-3BA00	449.76
	34	6EP1437-2BA10	SITOP POWER 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A P/N: 6EP1437-2BA10	451.22
	34	6EP1437-3BA10	SITOP PSU300M 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A P/N: 6EP1437-3BA10	470.27

BẢNG GIÁ MÀN HÌNH

	1	PUSHBUTTONPANELS		-
	2	6AV3688-3AA03-0AX0	PUSH BUTTON PANEL PP7 8 SHORT-STROKE KEYS 8 SURFACE LED'S, 4 DI TERMINALS (24 V) PROFIBUS DP P/N: 6AV3688-3AA03-0AX0	832.41
	3	6AV3688-3CD13-0AX0	PUSH BUTTON PANEL PP17 I 16 SHORT-STROKE KEYS 16 SURFACE LED'S, 16 DI AND 16 DO TERMINALS PROFIBUS DP12 P/N: 6AV3688-3CD13-0AX0	1,489.94
	2	MICROPANELS		-
	4	6ES7272-0AA30-0YA1	SIMATIC S7, TD 200 TEXTDISPLAY FOR S7-200, 2 LINES, WITH CABLE (2.5M) AND MOUNTING ACCESSORIES, CONFIGURATION WITH STEP7-MICRO/WIN W/O ATEX CERTIFICATE DEVICE DOES NOT HAVE AN ATEX (EUROPEAN EXPLOSION PROTECTION STANDARD) CERTIFICATE P/N: 6ES7272-0AA30-0YA1	176.22
	6	6AV6640-0BA11-0AX0	SIMATIC OPERATOR PANEL OP 73MICRO FOR SIMATIC S7-200 3" LC DISPLAY, BACKLIT WITH GRAPHICS CAPABILITY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6640-0BA11-0AX0	256.32

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	7	6AV6640-0CA11-0AX1	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6640-0CA11-0AX1	427.20
	8	MOBILEPANELS		-
	9	6AV6645-0AA01-0AX0	SIMATIC MOBILE PANEL 177 DP WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0AA01-0AX0	2,364.31
	10	6AV6645-0AB01-0AX0	SIMATIC MOBILE PANEL 177 DP WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0AB01-0AX0	2,448.25
	11	6AV6645-0AC01-0AX0	SIMATIC MOBILE PANEL 177 DP W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0AC01-0AX0	2,784.01
	11	6AV6645-0BA01-0AX0	SIMATIC MOBILE PANEL 177 PN WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0BA01-0AX0	2,364.31
	11	6AV6645-0BB01-0AX0	SIMATIC MOBILE PANEL 177 PN WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0BB01-0AX0	2,448.25
	12	6AV6645-0BC01-0AX0	SIMATIC MOBILE PANEL 177 PN W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER P/N: 6AV6645-0BC01-0AX0	2,784.01
	13	6AV6645-0CA01-0AX0	SIMATIC MOBILE PANEL 277 WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER P/N: 6AV6645-0CA01-0AX0	3,735.33
	14	6AV6645-0CB01-0AX0	SIMATIC MOBILE PANEL 277 WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER P/N: 6AV6645-0CB01-0AX0	3,819.27

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	14	6AV6645-0CC01-0AX0	SIMATIC MOBILE PANEL 277 W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER P/N: 6AV6645-0CC01-0AX0	4,155.03
	15	6AV6645-0DD01-0AX0	SIMATIC MOBILE PANEL 277 IWLAN CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CHARGING ST. 6AV6671-5CN00-0AX1 EXTERNAL POWER SUPPLY UNIT (EU/US/UK/JP) US RELEASE IS NOT POSSIBLE DUE TO MISSING FCC CERTIFICATION ON THE PART P/N: 6AV6645-0DD01-0AX0	4,616.70
	16	6AV6645-0DE01-0AX0	SIMATIC MOBILE PANEL 277 IWLAN WITH HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTONS, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CHARGING ST. 6AV6671-5CN00-0AX1 EXTERNAL POWER SUPPLY UNIT (EU/US/UK/JP) US RELEASE IS NOT POSSIBLE DUE TO MISSING FCC CERTIFICATION P/N: 6AV6645-0DE01-0AX0	5,036.40
	17	6AV6645-0DB01-0AX0	SIMATIC MOBILE PANEL 277F IWLAN WITH INTEGRATED ENABLING BUTTON AND EMERGENCY-STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CHARGING ST. 6AV6671-5CN00-0AX1 EXTERNAL POWER SUPPLY UNIT (EU/US/UK/JP) US RELEASE IS NOT POSSIBLE DUE TO MISSING FCC CERTIFICATION ON THE PART P/N: 6AV6645-0DB01-0AX0	5,036.40
	18	6AV6645-0DC01-0AX0	SIMATIC MOBILE PANEL 277F IWLAN WITH INTEGRATED ENABLING BUTTON EMERGENCY-STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CHARGING ST. 6AV6671-5CN00-0AX1 EXTERNAL POWER SUPPLY UNIT (EU/US/UK/JP) US RELEASE IS NOT POSSIBLE DUE TO MISSING FCC CERTIFICATION ON THE PART P/N: 6AV6645-0DC01-0AX0	5,456.10
	19	PANELS—70SERIES		-
	19	6AV6641-0BA11-0AX1	SIMATIC OPERATOR PANEL OP77A BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 1,5MB, FOR CONFIGURATION WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6641-0BA11-0AX1	447.68

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	19	6AV6641-0CA01-0AX1	SIMATIC OPERATOR PANEL OP77B BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UPTO 12 MB, PRINTER/USB INTERFACE, SLOT FOR MMC CARD, FOR CONFIGURATION OF WINCC FLEXIBLE 2004 COMPACT P/N: 6AV6641-0CA01-0AX1	562.38
	21	PANELS—170SERIES		-
	21	6AV6642-0AA11-0AX1	SIMATIC TOUCH PANEL TP 177A 5,7" BLUE MODE STN-DISPLAY, MPI-/PROFIBUS-DP INTERFACE, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD P/N: 6AV6642-0AA11-0AX1	685.51
	22	6AV6642-0BC01-1AX1	SIMATIC TOUCH PANEL TP177B DP BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB INTERFACE PRINTER - INTERFACE SLOT FOR MMCARD CONFIGURABLE WITH WINCC FLEXIBLE 2005 P/N: 6AV6642-0BC01-1AX1	965.31
	22	6AV6642-0BA01-1AX0	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005 REPLACEMENT TYPE: 6AV6642-0BA01-1AX1 P/N: 6AV6642-0BA01-1AX0	1,245.11
	22	6AV6642-0BA01-1AX1	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005 P/N: 6AV6642-0BA01-1AX1	1,245.11
	23	6AV6642-8BA10-0AA0	SIMATIC TOUCHPANEL TP177B PN/DP STAINLESS STEEL FRONT, DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, STN 265 COLOR-DISPLAY, MPI-/PROFIBUS-DP - PROTOCOL, RS485-/RS422-/USB - INTERFACE, ETHERNET 10/100 INTERFACE, PRINTER-INTERFACE, SLOT FOR MM-CARD P/N: 6AV6642-8BA10-0AA0	3,103.92
	24	6AV6642-0DC01-1AX1	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005 P/N: 6AV6642-0DC01-1AX1	1,105.21

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	25	6AV6642-0DA01-1AX1	SIMATIC PANEL OP177B PN/DP STN 256 COLOR DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE ETHERNET - INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005 P/N: 6AV6642-0DA01-1AX1	1,385.01
	25	PANELS—270SERIES		-
	26	6AV6643-0AA01-1AX0	SIMATIC TP 277 6" TOUCH PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD OR HIGHER P/N: 6AV6643-0AA01-1AX0	2,098.50
	26	6AV6643-0BA01-1AX0	SIMATIC OP 277 6" OPERATOR PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER P/N: 6AV6643-0BA01-1AX0	2,238.40
	27	Multi Panels — 270 series		-
	28	6AV6643-0CB01-1AX1	SIMATIC MP 277 8" TOUCH TFT MULTI PANEL W. RETENTIVE MEMORY 7.5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 P/N: 6AV6643-0CB01-1AX1	2,588.15
	28	6AV6643-0CD01-1AX1	SIMATIC MP 277 10" TOUCH MULTI PANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG: WINCC FLEXIBLE 2005 STANDARD SP1 P/N: 6AV6643-0CD01-1AX1	3,217.70
	29	6AV6643-0DB01-1AX1	SIMATIC MP 277 8" KEY MULTIPANEL, W. RETENTIVE MEMORY 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1 P/N: 6AV6643-0DB01-1AX1	2,728.05
	30	6AV6643-0DD01-1AX1	SIMATIC MP 277 10" KEY MULTIPANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG. WINCC FLEXIBLE 2005 STANDARD SP1 P/N: 6AV6643-0DD01-1AX1	3,357.60
	31	6AV6643-8AD10-0AA1	SIMATIC MP 277 10" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 P/N: 6AV6643-8AD10-0AA1	5,843.80
	32	Multi Panels — 370 series		-
	33	6AV6644-0AA01-2AX0	SIMATIC MP 377 12" TOUCH MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 P/N: 6AV6644-0AA01-2AX0	3,917.20

HÌNH ẢNH	STT	MÃ HÀNG	MÔ TẢ SẢN PHẨM	GIÁ LP (USD)
	34	6AV6644-0BA01-2AX0	SIMATIC MP 377 12" KEY MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 P/N: 6AV6644-0BA01-2AX0	4,336.90
	35	6AV6545-8DB10-0AA0	SIMATIC MULTIPANEL MP370 15" COLOR-TFT-DISPLAY, TOUCH STAINLESS STEEL FRONTPANEL, DISPLAY COVERED BY MEMBRANE PROTECTION CLASS FRONT IP66 WINDOWS CE 3.0 PROJECTABLE WITH PROTOOL FROM VERSION V6.0+SP2 P/N: 6AV6545-8DB10-0AA0	8,420.82
	36	6AV6644-0AB01-2AX0	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0 15" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 P/N: 6AV6644-0AB01-2AX0	4,896.50
	37	6AV6644-0AC01-2AX0	SIMATIC MP 377 19" TOUCH MULTIPANEL, WINDOWS CE 5.0 19" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 P/N: 6AV6644-0AC01-2AX0	5,456.10

PHUONGLAI.COM